


# MINI-BOX SLIM TANDEM SERIES



# MINI-BOX




## Loading capacity

Strong material, slim and light design,  
The drawer shows both light beauty and strong load-bearing capacity.




### Integrated SCT Soft-closing technology



Built-in integrated SCT damping system,  
Enjoy smooth and comfortable between push and pull.

### Full extension synchronization technology




The rollers and racks run synchronously,  
Reduce friction and enhance smoothness.

### Ultra-Slim design



Lightweight side help, thin and strong,  
Push and pull is light and effortless,  
and the sense of luxury is full.

### Push open adjustment



Open at the touch of a button,  
Gear adjustment panel clearance  $\pm 2\text{mm}$ .

# MINI-BOX Drawer System

G1301



DRAWER SERIES



## Describe

Concealed Full Extension ;  
Full extension synchronous suspension orbit technology;  
13mm design without side panel;  
40 kg Load capacity, long service life;  
It can be adjusted in two dimensions on the side;  
Built-in SCT infinitely variable speed damping technology;  
To ensure the slide has smooth and gentle movement ;  
Equipped with TOS push open technology;

## Space required



## Product information

| Nominal Length | Soft-Closing Drawer |            | Push Open Drawer |            | Amount |
|----------------|---------------------|------------|------------------|------------|--------|
|                | Silk White          | Iron Gray  | Silk White       | Iron Gray  |        |
| 270            | G1301-270W          | G1301-270G | G1331-270W       | G1331-270G | 6SET   |
| 300            | G1301-300W          | G1301-300G | G1331-300W       | G1331-300G | 6SET   |
| 350            | G1301-350W          | G1301-350G | G1331-350W       | G1331-350G | 6SET   |
| 400            | G1301-400W          | G1301-400G | G1331-400W       | G1331-400G | 6SET   |
| 450            | G1301-450W          | G1301-450G | G1331-450W       | G1331-450G | 6SET   |
| 500            | G1301-500W          | G1301-500G | G1331-500W       | G1331-500G | 6SET   |
| 550            | G1301-550W          | G1301-550G | G1331-550W       | G1331-550G | 6SET   |

## Contact(Industrial packaging)

| 1 Concealed full extension sync Slide L/R |                       |               |        |  | 2 MINI-BOX side panel L/R |                |               |        |  |
|---|-----------------------|---------------|--------|--|---------------------------|----------------|---------------|--------|--|
| Nominal length                            | G13 Soft-closingslide | G13 Push-open | Amount |  | Nominal length            | Silk white L/R | Iron gray L/R | Amount |  |
| 270                                       | 130270H               | 131270H       | 10SET  |  | 270                       | 131270W        | 131270G       | 20PCS  |  |
| 300                                       | 130300H               | 131300H       | 10SET  |  | 300                       | 131300W        | 131300G       | 20PCS  |  |
| 350                                       | 130350H               | 131350H       | 10SET  |  | 350                       | 131350W        | 131350G       | 20PCS  |  |
| 400                                       | 130400H               | 131400H       | 10SET  |  | 400                       | 131400W        | 131400G       | 20PCS  |  |
| 450                                       | 130450H               | 131450H       | 10SET  |  | 450                       | 131450W        | 131450G       | 20PCS  |  |
| 500                                       | 130500H               | 131500H       | 10SET  |  | 500                       | 131500W        | 131500G       | 20PCS  |  |
| 550                                       | 130550H               | 131550H       | 10SET  |  | 550                       | 131550W        | 131550G       | 20PCS  |  |


| 3 Rear Connector |               |        |  |
|------------------|---------------|--------|--|
| Silk White L/R   | Iron Gray L/R | Amount |  |
| 130068W          | 130068G       | 100SET |  |


| 4 Front Connector |        |  |
|-------------------|--------|--|
| Product Code      | Amount |  |
| G13501            | 100SET |  |


| 4 Shop Quick-mounting Front Connector |        |  |
|---------------------------------------|--------|--|
| Product Code                          | Amount |  |
| G13502                                | 100SET |  |




## Space requirements of the inner cabinet installation




## Front Connector panel mounting size



## Panel hole size




## Back-panel mounting size




## Cabinet slide mounting size

NL




## Slide mounting size



NL



## 16mm (thickness) MDF cutting size



## Push open adjustment



# MINI-BOX Drawer System

G1302

DRAWER SERIES




## Describe

Concealed Full Extension ;  
Full extension synchronous suspension orbit technology;  
13mm design without side panel;  
40 kg Load capacity , long service life;  
It can be adjusted in two dimensions on the side;  
Built-in SCT infinitely variable speed damping technology;  
To ensure the slide has smooth and gentle movement ;  
Equipped with TOS push open technology;



Product Details

## Space required



Soft closing



Push open



Max load bearing



Side height



2D adjustment

## Product information

| Nominal Length | Soft-Closing Drawer |            | Push Open Drawer |            | Amount |
|----------------|---------------------|------------|------------------|------------|--------|
|                | Silk White          | Iron Gray  | Silk White       | Iron Gray  |        |
| 270            | G1302-270W          | G1302-270G | G1332-270W       | G1332-270G | 6SET   |
| 300            | G1302-300W          | G1302-300G | G1332-300W       | G1332-300G | 6SET   |
| 350            | G1302-350W          | G1302-350G | G1332-350W       | G1332-350G | 6SET   |
| 400            | G1302-400W          | G1302-400G | G1332-400W       | G1332-400G | 6SET   |
| 450            | G1302-450W          | G1302-450G | G1332-450W       | G1332-450G | 6SET   |
| 500            | G1302-500W          | G1302-500G | G1332-500W       | G1332-500G | 6SET   |
| 550            | G1302-550W          | G1302-550G | G1332-550W       | G1332-550G | 6SET   |

## Contact(Industrial packaging)

| 1 Concealed full extension sync Slide L/R |                       |               |        |  | 2 MINI-BOX side panel L/R |                |               |        |  |
|---|-----------------------|---------------|--------|--|---------------------------|----------------|---------------|--------|--|
| Nominal length                            | G13 Soft-closingslide | G13 Push-open | Amount |  | Nominal length            | Silk white L/R | Iron gray L/R | Amount |  |
| 270                                       | 130270H               | 131270H       | 10SET  |  | 270                       | 132270W        | 132270G       | 20PCS  |  |
| 300                                       | 130300H               | 131300H       | 10SET  |  | 300                       | 132300W        | 132300G       | 20PCS  |  |
| 350                                       | 130350H               | 131350H       | 10SET  |  | 350                       | 132350W        | 132350G       | 20PCS  |  |
| 400                                       | 130400H               | 131400H       | 10SET  |  | 400                       | 132400W        | 132400G       | 20PCS  |  |
| 450                                       | 130450H               | 131450H       | 10SET  |  | 450                       | 132450W        | 132450G       | 20PCS  |  |
| 500                                       | 130500H               | 131500H       | 10SET  |  | 500                       | 132500W        | 132500G       | 20PCS  |  |
| 550                                       | 130550H               | 131550H       | 10SET  |  | 550                       | 132550W        | 132550G       | 20PCS  |  |


| 3 Rear Connector |               |        |  |
|------------------|---------------|--------|--|
| Silk White L/R   | Iron Gray L/R | Amount |  |
| 130100W          | 130100G       | 100SET |  |


| 4 Front Connector |        |  |
|-------------------|--------|--|
| Product Code      | Amount |  |
| G13501            | 100SET |  |


| 4 Shop Quick-mounting Front Connector |        |  |
|---------------------------------------|--------|--|
| Product Code                          | Amount |  |
| G13502                                | 100SET |  |




## Space requirements of the inner cabinet installation




## Front Connector panel mounting size



## Panel hole size




## Back-panel mounting size




## Cabinet slide mounting size

NL




## Slide mounting size



NL



## 16mm (thickness) MDF cutting size



## Push open adjustment



# MINI-BOX Drawer System

G1303



DRAWER SERIES



## Describe

Concealed Full Extension ;  
Full extension synchronous suspension orbit technology;  
13mm design without side panel;  
40 kg Load capacity, long service life;  
It can be adjusted in two dimensions on the side;  
Built-in SCT infinitely variable speed damping technology;  
To ensure the slide has smooth and gentle movement ;  
Equipped with TOS push open technology;

## Space required



## Product information

| Nominal Length | Soft-Closing Drawer |            | Push Open Drawer |            | Amount |
|----------------|---------------------|------------|------------------|------------|--------|
|                | Silk White          | Iron Gray  | Silk White       | Iron Gray  |        |
| 270            | G1303-270W          | G1303-270G | G1333-270W       | G1333-270G | 5SET   |
| 300            | G1303-300W          | G1303-300G | G1333-300W       | G1333-300G | 5SET   |
| 350            | G1303-350W          | G1303-350G | G1333-350W       | G1333-350G | 5SET   |
| 400            | G1303-400W          | G1303-400G | G1333-400W       | G1333-400G | 5SET   |
| 450            | G1303-450W          | G1303-450G | G1333-450W       | G1333-450G | 5SET   |
| 500            | G1303-500W          | G1303-500G | G1333-500W       | G1333-500G | 5SET   |
| 550            | G1303-550W          | G1303-550G | G1333-550W       | G1333-550G | 5SET   |

## Contact(Industrial packaging)

| 1 Concealed full extension sync Slide L/R |                       |               |        |  | 2 MINI-BOX side panel L/R |                |               |        |
|---|-----------------------|---------------|--------|--|---------------------------|----------------|---------------|--------|
| Nominal length                            | G13 Soft-closingslide | G13 Push-open | Amount |  | Nominal length            | Silk white L/R | Iron gray L/R | Amount |
| 270                                       | 130270H               | 131270H       | 10SET  |  | 270                       | 133270W        | 133270G       | 20PCS  |
| 300                                       | 130300H               | 131300H       | 10SET  |  | 300                       | 133300W        | 133300G       | 20PCS  |
| 350                                       | 130350H               | 131350H       | 10SET  |  | 350                       | 133350W        | 133350G       | 20PCS  |
| 400                                       | 130400H               | 131400H       | 10SET  |  | 400                       | 133400W        | 133400G       | 20PCS  |
| 450                                       | 130450H               | 131450H       | 10SET  |  | 450                       | 133450W        | 133450G       | 20PCS  |
| 500                                       | 130500H               | 131500H       | 10SET  |  | 500                       | 133500W        | 133500G       | 20PCS  |
| 550                                       | 130550H               | 131550H       | 10SET  |  | 550                       | 133550W        | 133550G       | 20PCS  |


| 3 Rear Connector |               |        |  |
|------------------|---------------|--------|--|
| Silk White L/R   | Iron Gray L/R | Amount |  |
| 130151W          | 130151G       | 100SET |  |


| 4 Front Connector |        |  |
|-------------------|--------|--|
| Product Code      | Amount |  |
| G13701            | 100SET |  |


| 4 Quick-mounting Front Connector |        |  |
|----------------------------------|--------|--|
| Product Code                     | Amount |  |
| G13702                           | 100SET |  |




## Space requirements of the inner cabinet installation




## Front Connector panel mounting size



## Panel hole size




## Back-panel mounting size




## Cabinet slide mounting size

NL




## Slide mounting size



NL



## 16mm (thickness) MDF cutting size



## Push open adjustment



# MINI-BOX Drawer System

G1304

DRAWER SERIES




## Describe

Concealed Full Extension ;  
Full extension synchronous suspension orbit technology;  
13mm design without side panel;  
40 kg Load capacity, long service life;  
It can be adjusted in two dimensions on the side;  
Built-in SCT infinitely variable speed damping technology;  
To ensure the slide has smooth and gentle movement ;  
Equipped with TOS push open technology;



Product Details

## Space required



Soft closing



Push open



Max load bearing



Side height



2D adjustment

## Product information

| Nominal Length | Soft-Closing Drawer |            | Push Open Drawer |            | Amount |
|----------------|---------------------|------------|------------------|------------|--------|
|                | Silk White          | Iron Gray  | Silk White       | Iron Gray  |        |
| 270            | G1304-270W          | G1304-270G | G1334-270W       | G1334-270G | 4SET   |
| 300            | G1304-300W          | G1304-300G | G1334-300W       | G1334-300G | 4SET   |
| 350            | G1304-350W          | G1304-350G | G1334-350W       | G1334-350G | 4SET   |
| 400            | G1304-400W          | G1304-400G | G1334-400W       | G1334-400G | 4SET   |
| 450            | G1304-450W          | G1304-450G | G1334-450W       | G1334-450G | 4SET   |
| 500            | G1304-500W          | G1304-500G | G1334-500W       | G1334-500G | 4SET   |
| 550            | G1304-550W          | G1304-550G | G1334-550W       | G1334-550G | 4SET   |

## Contact(Industrial packaging)


| 1 | Concealed full extension sync Slide L/R |                       |               |        |
|---|---|-----------------------|---------------|--------|
|   | Nominal length                          | G13 Soft-closingslide | G13 Push-open | Amount |
|   | 270                                     | 130270H               | 131270H       | 10SET  |
|   | 300                                     | 130300H               | 131300H       | 10SET  |
|   | 350                                     | 130350H               | 131350H       | 10SET  |
|   | 400                                     | 130400H               | 131400H       | 10SET  |
|   | 450                                     | 130450H               | 131450H       | 10SET  |
|   | 500                                     | 130500H               | 131500H       | 10SET  |
|   | 550                                     | 130550H               | 131550H       | 10SET  |

| 2 | MINI-BOX side panel L/R |                |               |        |
|---|-------------------------|----------------|---------------|--------|
|   | Nominal length          | Silk white L/R | Iron gray L/R | Amount |
|   | 270                     | 134270W        | 134270G       | 20PCS  |
|   | 300                     | 134300W        | 134300G       | 20PCS  |
|   | 350                     | 134350W        | 134350G       | 20PCS  |
|   | 400                     | 134400W        | 134400G       | 20PCS  |
|   | 450                     | 134450W        | 134450G       | 20PCS  |
|   | 500                     | 134500W        | 134500G       | 20PCS  |
|   | 550                     | 134550W        | 134550G       | 20PCS  |


| 3 | Rear Connector |               |        |
|---|----------------|---------------|--------|
|   | Silk White L/R | Iron Gray L/R | Amount |
|   | 130183W        | 130183G       | 100SET |

| 4 | Front Connector |        |
|---|-----------------|--------|
|   | Product Code    | Amount |
|   | G13701          | 100SET |


| 4 | Quick-mounting Front Connector |        |
|---|--------------------------------|--------|
|   | Product Code                   | Amount |
|   | G13702                         | 100SET |




## Space requirements of the inner cabinet installation




## Front Connector panel mounting size



## Panel hole size




## Back-panel mounting size




## Cabinet slide mounting size

NL




## Slide mounting size



NL



## 16mm (thickness) MDF cutting size




## Push open adjustment



# MINI-BOX

Glass drawer system



## Pragmatism

The harmonious unity of pragmatism and fashionable beauty,  
The perfect expression of the wisdom of storage and the philosophy of space.





# MINI-BOX

Glass drawer system G1311



DRAWER SERIES



## Describe

Concealed Full Extension ;  
Full extension synchronous suspension orbit technology;  
8mm Slim Glass Drawer Side Design;  
40 kg Load capacity , long service life;  
It can be adjusted in two dimensions on the side;  
Built-in SCT infinitely variable speed damping technology;  
To ensure the slide has smooth and gentle movement ;  
Equipped with TOS push open technology;

## Space required



## Product information

| Nominal Length | Glass Damping Drawer |            | Glass Push-Open Drawer |            | Amount |
|----------------|----------------------|------------|------------------------|------------|--------|
|                | Silk White           | Iron Gray  | Silk White             | Iron Gray  |        |
| 350            | G1311-350W           | G1311-350G | G1341-350W             | G1341-350G | 6SET   |
| 400            | G1311-400W           | G1311-400G | G1341-400W             | G1341-400G | 6SET   |
| 450            | G1311-450W           | G1311-450G | G1341-450W             | G1341-450G | 6SET   |
| 500            | G1311-500W           | G1311-500G | G1341-500W             | G1341-500G | 6SET   |
| 550            | G1311-550W           | G1311-550G | G1341-550W             | G1341-550G | 6SET   |

| Nominal Length | Glass Damping Drawer (with light) |               | Glass Push-Open Drawer (with light) |               | Amount |
|----------------|-----------------------------------|---------------|-------------------------------------|---------------|--------|
|                | Silk white*LED                    | Iron gray*LED | Silk white*LED                      | Iron gray*LED |        |
| 350            | G1311-350WLED                     | G1311-350GLED | G1341-350WLED                       | G1341-350GLED | 6SET   |
| 400            | G1311-400WLED                     | G1311-400GLED | G1341-400WLED                       | G1341-400GLED | 6SET   |
| 450            | G1311-450WLED                     | G1311-450GLED | G1341-450WLED                       | G1341-450GLED | 6SET   |
| 500            | G1311-500WLED                     | G1311-500GLED | G1341-500WLED                       | G1341-500GLED | 6SET   |
| 550            | G1311-550WLED                     | G1311-550GLED | G1341-550WLED                       | G1341-550GLED | 6SET   |

## Contact(Industrial packaging)


| 1 | Concealed full extension sync Slide L/R |                       |               |        |
|---|---|-----------------------|---------------|--------|
|   | Nominal length                          | G13 Soft-closingslide | G13 Push-open | Amount |
|   | 350                                     | 130350H               | 131350H       | 10SET  |
|   | 400                                     | 130400H               | 131400H       | 10SET  |
|   | 450                                     | 130450H               | 131450H       | 10SET  |
|   | 500                                     | 130500H               | 131500H       | 10SET  |
|   | 550                                     | 130550H               | 131550H       | 10SET  |

| 2 | MINI-BOX side panel L/R |                |               |        |
|---|-------------------------|----------------|---------------|--------|
|   | Nominal length          | Silk white L/R | Iron gray L/R | Amount |
|   | 350                     | 1311350W       | 1311350G      | 20PCS  |
|   | 400                     | 1311400W       | 1311400G      | 20PCS  |
|   | 450                     | 1311450W       | 1311450G      | 20PCS  |
|   | 500                     | 1311500W       | 1311500G      | 20PCS  |
|   | 550                     | 1311550W       | 1311550G      | 20PCS  |


| 3 | Rear Connector |               |        |
|---|----------------|---------------|--------|
|   | Silk White L/R | Iron Gray L/R | Amount |
|   | 130068W        | 130068G       | 100SET |

| 4 | Front Connector |        |
|---|-----------------|--------|
|   | Product Code    | Amount |
|   | G13501          | 100SET |


| 4 | Quick-mounting Front Connector |        |
|---|--------------------------------|--------|
|   | Product Code                   | Amount |
|   | G13502                         | 100SET |




## Space requirements of the inner cabinet installation




## Front Connector panel mounting size




## Panel hole size




## Back-panel mounting size




## Cabinet slide mounting size





## Slide mounting size



## 16mm (thickness) MDF cutting size



## Push open adjustment



# MINI-BOX


Glass drawer system G1312

DRAWER SERIES




## Describe

Concealed Full Extension ;  
Full extension synchronous suspension orbit technology;  
8mm Slim Glass Drawer Side Design;  
40 kg Load capacity , long service life;  
It can be adjusted in two dimensions on the side;  
Built-in SCT infinitely variable speed damping technology;  
To ensure the slide has smooth and gentle movement ;  
Equipped with TOS push open technology;



## Space required



NL

## Product information

| Nominal Length | Glass Damping Drawer |            | Glass Push-Open Drawer |            | Amount |
|----------------|----------------------|------------|------------------------|------------|--------|
|                | Silk White           | Iron Gray  | Silk White             | Iron Gray  |        |
| 350            | G1312-350W           | G1312-350G | G1342-350W             | G1342-350G | 6SET   |
| 400            | G1312-400W           | G1312-400G | G1342-400W             | G1342-400G | 6SET   |
| 450            | G1312-450W           | G1312-450G | G1342-450W             | G1342-450G | 6SET   |
| 500            | G1312-500W           | G1312-500G | G1342-500W             | G1342-500G | 6SET   |
| 550            | G1312-550W           | G1312-550G | G1342-550W             | G1342-550G | 6SET   |

| Nominal Length | Glass Damping Drawer (with light) |               | Glass Push-Open Drawer (with light) |               | Amount |
|----------------|-----------------------------------|---------------|-------------------------------------|---------------|--------|
|                | Silk white*LED                    | Iron gray*LED | Silk white*LED                      | Iron gray*LED |        |
| 350            | G1312-350WLED                     | G1312-350GLED | G1342-350WLED                       | G1342-350GLED | 6SET   |
| 400            | G1312-400WLED                     | G1312-400GLED | G1342-400WLED                       | G1342-400GLED | 6SET   |
| 450            | G1312-450WLED                     | G1312-450GLED | G1342-450WLED                       | G1342-450GLED | 6SET   |
| 500            | G1312-500WLED                     | G1312-500GLED | G1342-500WLED                       | G1342-500GLED | 6SET   |
| 550            | G1312-550WLED                     | G1312-550GLED | G1342-550WLED                       | G1342-550GLED | 6SET   |

## Contact(Industrial packaging)


| 1 | Concealed full extension sync Slide L/R |                       |               |        |
|---|---|-----------------------|---------------|--------|
|   | Nominal length                          | G13 Soft-closingslide | G13 Push-open | Amount |
|   | 350                                     | 130350H               | 131350H       | 10SET  |
|   | 400                                     | 130400H               | 131400H       | 10SET  |
|   | 450                                     | 130450H               | 131450H       | 10SET  |
|   | 500                                     | 130500H               | 131500H       | 10SET  |
|   | 550                                     | 130550H               | 131550H       | 10SET  |

| 2 | MINI-BOX side panel L/R |                |               |        |
|---|-------------------------|----------------|---------------|--------|
|   | Nominal length          | Silk white L/R | Iron gray L/R | Amount |
|   | 350                     | 1312350W       | 1312350G      | 20PCS  |
|   | 400                     | 1312400W       | 1312400G      | 20PCS  |
|   | 450                     | 1312450W       | 1312450G      | 20PCS  |
|   | 500                     | 1312500W       | 1312500G      | 20PCS  |
|   | 550                     | 1312550W       | 1312550G      | 20PCS  |


| 3 | Rear Connector |               |        |
|---|----------------|---------------|--------|
|   | Silk White L/R | Iron Gray L/R | Amount |
|   | 130100W        | 130100G       | 100SET |

| 4 | Front Connector |        |
|---|-----------------|--------|
|   | Product Code    | Amount |
|   | G13501          | 100SET |


| 4 | Quick-mounting Front Connector |        |
|---|--------------------------------|--------|
|   | Product Code                   | Amount |
|   | G13502                         | 100SET |




## Space requirements of the inner cabinet installation




## Front Connector panel mounting size



## Panel hole size




## Back-panel mounting size




## Cabinet slide mounting size

NL




## Slide mounting size



NL



## 16mm (thickness) MDF cutting size



## Push open adjustment



# MINI-BOX


Glass drawer system G1313

DRAWER SERIES




### Describe

Concealed Full Extension ;  
Full extension synchronous suspension orbit technology;  
8mm Slim Glass Drawer Side Design;  
40 kg Load capacity , long service life;  
It can be adjusted in two dimensions on the side;  
Built-in SCT infinitely variable speed damping technology;  
To ensure the slide has smooth and gentle movement ;  
Equipped with TOS push open technology;



### Space required



NL

### Product information

| Nominal Length | Glass Damping Drawer |            | Glass Push-Open Drawer |            | Amount |
|----------------|----------------------|------------|------------------------|------------|--------|
|                | Silk White           | Iron Gray  | Silk White             | Iron Gray  |        |
| 350            | G1313-350W           | G1313-350G | G1343-350W             | G1343-350G | 5SET   |
| 400            | G1313-400W           | G1313-400G | G1343-400W             | G1343-400G | 5SET   |
| 450            | G1313-450W           | G1313-450G | G1343-450W             | G1343-450G | 5SET   |
| 500            | G1313-500W           | G1313-500G | G1343-500W             | G1343-500G | 5SET   |
| 550            | G1313-550W           | G1313-550G | G1343-550W             | G1343-550G | 5SET   |

| Nominal Length | Glass Damping Drawer (with light) |               | Glass Push-Open Drawer (with light) |               | Amount |
|----------------|-----------------------------------|---------------|-------------------------------------|---------------|--------|
|                | Silk white*LED                    | Iron gray*LED | Silk white*LED                      | Iron gray*LED |        |
| 350            | G1313-350WLED                     | G1313-350GLED | G1343-350WLED                       | G1343-350GLED | 5SET   |
| 400            | G1313-400WLED                     | G1313-400GLED | G1343-400WLED                       | G1343-400GLED | 5SET   |
| 450            | G1313-450WLED                     | G1313-450GLED | G1343-450WLED                       | G1343-450GLED | 5SET   |
| 500            | G1313-500WLED                     | G1313-500GLED | G1343-500WLED                       | G1343-500GLED | 5SET   |
| 550            | G1313-550WLED                     | G1313-550GLED | G1343-550WLED                       | G1343-550GLED | 5SET   |

### Contact(Industrial packaging)


| 1 | Concealed full extension sync Slide L/R |                       |               |        |
|---|---|-----------------------|---------------|--------|
|   | Nominal length                          | G13 Soft-closingslide | G13 Push-open | Amount |
|   | 350                                     | 130350H               | 131350H       | 10SET  |
|   | 400                                     | 130400H               | 131400H       | 10SET  |
|   | 450                                     | 130450H               | 131450H       | 10SET  |
|   | 500                                     | 130500H               | 131500H       | 10SET  |
|   | 550                                     | 130550H               | 131550H       | 10SET  |

| 2 | MINI-BOX side panel L/R |                |               |        |
|---|-------------------------|----------------|---------------|--------|
|   | Nominal length          | Silk white L/R | Iron gray L/R | Amount |
|   | 350                     | 1313350W       | 1313350G      | 20PCS  |
|   | 400                     | 1313400W       | 1313400G      | 20PCS  |
|   | 450                     | 1313450W       | 1313450G      | 20PCS  |
|   | 500                     | 1313500W       | 1313500G      | 20PCS  |
|   | 550                     | 1313550W       | 1313550G      | 20PCS  |


| 3 | Rear Connector |               |        |
|---|----------------|---------------|--------|
|   | Silk White L/R | Iron Gray L/R | Amount |
|   | 130151W        | 130151G       | 100SET |

| 4 | Front Connector |        |
|---|-----------------|--------|
|   | Product Code    | Amount |
|   | G13701          | 100SET |


| 4 | Shop | Quick-mounting Front Connector |        |
|---|------|--------------------------------|--------|
|   |      | Product Code                   | Amount |
|   |      | G13702                         | 100SET |




### Space requirements of the inner cabinet installation




### Front Connector panel mounting size



### Panel hole size




### Back-panel mounting size




### Cabinet slide mounting size

NL




### Slide mounting size



NL



### 16mm (thickness) MDF cutting size



### Push open adjustment



# MINI-BOX

Glass drawer system G1314

DRAWER SERIES




## Describe

Concealed Full Extension ;  
Full extension synchronous suspension orbit technology;  
8mm Slim Glass Drawer Side Design;  
40 kg Load capacity, long service life;  
It can be adjusted in two dimensions on the side;  
Built-in SCT infinitely variable speed damping technology;  
To ensure the slide has smooth and gentle movement ;  
Equipped with TOS push open technology;



## Space required



NL

## Product information

| Nominal Length | Glass Damping Drawer |            | Glass Push-Open Drawer |            | Amount |
|----------------|----------------------|------------|------------------------|------------|--------|
|                | Silk White           | Iron Gray  | Silk White             | Iron Gray  |        |
| 350            | G1314-350W           | G1314-350G | G1344-350W             | G1344-350G | 4SET   |
| 400            | G1314-400W           | G1314-400G | G1344-400W             | G1344-400G | 4SET   |
| 450            | G1314-450W           | G1314-450G | G1344-450W             | G1344-450G | 4SET   |
| 500            | G1314-500W           | G1314-500G | G1344-500W             | G1344-500G | 4SET   |
| 550            | G1314-550W           | G1314-550G | G1344-550W             | G1344-550G | 4SET   |

| Nominal Length | Glass Damping Drawer (with light) |               | Glass Push-Open Drawer (with light) |               | Amount |
|----------------|-----------------------------------|---------------|-------------------------------------|---------------|--------|
|                | Silk white*LED                    | Iron gray*LED | Silk white*LED                      | Iron gray*LED |        |
| 350            | G1314-350WLED                     | G1314-350GLED | G1344-350WLED                       | G1344-350GLED | 4SET   |
| 400            | G1314-400WLED                     | G1314-400GLED | G1344-400WLED                       | G1344-400GLED | 4SET   |
| 450            | G1314-450WLED                     | G1314-450GLED | G1344-450WLED                       | G1344-450GLED | 4SET   |
| 500            | G1314-500WLED                     | G1314-500GLED | G1344-500WLED                       | G1344-500GLED | 4SET   |
| 550            | G1314-550WLED                     | G1314-550GLED | G1344-550WLED                       | G1344-550GLED | 4SET   |

## Contact(Industrial packaging)


| 1 | Concealed full extension sync Slide L/R |                       |               |        |
|---|---|-----------------------|---------------|--------|
|   | Nominal length                          | G13 Soft-closingslide | G13 Push-open | Amount |
|   | 350                                     | 130350H               | 131350H       | 10SET  |
|   | 400                                     | 130400H               | 131400H       | 10SET  |
|   | 450                                     | 130450H               | 131450H       | 10SET  |
|   | 500                                     | 130500H               | 131500H       | 10SET  |
|   | 550                                     | 130550H               | 131550H       | 10SET  |

| 2 | MINI-BOX side panel L/R |                |               |        |
|---|-------------------------|----------------|---------------|--------|
|   | Nominal length          | Silk white L/R | Iron gray L/R | Amount |
|   | 350                     | 1314350W       | 1314350G      | 20PCS  |
|   | 400                     | 1314400W       | 1314400G      | 20PCS  |
|   | 450                     | 1314450W       | 1314450G      | 20PCS  |
|   | 500                     | 1314500W       | 1314500G      | 20PCS  |
|   | 550                     | 1314550W       | 1314550G      | 20PCS  |


| 3 | Rear Connector |               |        |
|---|----------------|---------------|--------|
|   | Silk White L/R | Iron Gray L/R | Amount |
|   | 130183W        | 130183G       | 100SET |

| 4 | Front Connector |        |
|---|-----------------|--------|
|   | Product Code    | Amount |
|   | G13701          | 100SET |


| 4 | Shop | Quick-mounting Front Connector |        |
|---|------|--------------------------------|--------|
|   |      | Product Code                   | Amount |
|   |      | G13702                         | 100SET |




## Space requirements of the inner cabinet installation




## Front Connector panel mounting size



## Panel hole size




## Back-panel mounting size




## Cabinet slide mounting size

NL





## Slide mounting size

NL





External drawer

## 16mm (thickness) MDF cutting size




KB Cabinet width  
LW Cabinet net width  
NL Nominal Length

## Push open adjustment



# MINI-BOX

Inner Box Drawer System



## Multi-layer partition


Internal-type multilateral layer design,  
Flexible to use cabinet space,  
Bring the overall home living experience to be lively and advanced.



The ingenious use of internal pumping,  
Greatly improve the utilization of storage space.



The hierarchical spatial layout,  
To meet the needs of different items,  
Create a new storage experience.



Clever use of high and narrow space,  
All kinds of packaged food, odds and ends  
All properly stored, clear storage.

G1301 luxury inside H=84mm



Inner Box panel

| Cabinet net width LW-100 | Nominal length | Silk White | Iron Gray | Packaging Quantity |
|--------------------------|----------------|------------|-----------|--------------------|
|                          | 600mm          | G1320600W  | G1320600G | 20PCS              |
| 1200mm                   | G1321200W      | G1321200G  | 20PCS     |                    |

Inner Box Front Connector L/R

| Cabinet net width LW-88 | Silk White | Iron Gray | Packaging Quantity |
|-------------------------|------------|-----------|--------------------|
|                         | G131200W   | G131200G  | 20SET              |

G1303 luxury inside H=167mm



Square tie rod

| Cabinet net width LW-88 | Silk White | Silk White | Iron Gray | Packaging Quantity |
|-------------------------|------------|------------|-----------|--------------------|
|                         | 600mm      | GF320600W  | GF320600G | 20PCS              |
| 1200mm                  | GF321200W  | GF321200G  | 20PCS     |                    |


Inner Box panel

| Cabinet net width LW-100 | Silk White | Silk White | Iron Gray | Packaging Quantity |
|--------------------------|------------|------------|-----------|--------------------|
|                          | 600mm      | G1320600W  | G1320600G | 20PCS              |
| 1200mm                   | G1321200W  | G1321200G  | 20PCS     |                    |

Inner Box Front Connector L/R

| Cabinet net width LW-88 | Silk White | Iron Gray | Packaging Quantity |
|-------------------------|------------|-----------|--------------------|
|                         | G130500W   | G130500G  | 20SET              |

G1304 luxury inside H=199mm



Square tie rod

| Cabinet net width LW-88 | Silk White | Silk White | Iron Gray | Packaging Quantity |
|-------------------------|------------|------------|-----------|--------------------|
|                         | 600mm      | GF320600W  | GF320600G | 20PCS              |
| 1200mm                  | GF321200W  | GF321200G  | 20PCS     |                    |

Inner Box panel

| Cabinet net width LW-100 | Silk White | Silk White | Iron Gray | Packaging Quantity |
|--------------------------|------------|------------|-----------|--------------------|
|                          | 600mm      | G1320600W  | G1320600G | 20PCS              |
| 1200mm                   | G1321200W  | G1321200G  | 20PCS     |                    |

Inner Box Front Connector L/R

| Cabinet net width LW-88 | Silk White | Iron Gray | Packaging Quantity |
|-------------------------|------------|-----------|--------------------|
|                         | G130500W   | G130500G  | 20SET              |




Product Details

G1301 Inside the glass H=84mm




Internal box :high glass panels

| <br>Glass thickness: 8mm | Applicable cabinet width | Transparency | Packaging Quantity |
|---|--------------------------|--------------|--------------------|
|   | 600mm                    | G140476T     | 20PCS              |
|   | 800mm                    | G140676T     | 20PCS              |
|   | 900mm                    | G140776T     | 20PCS              |

Inner Box panel

| <br>Cabinet net width LW-100 | Nominal length | Silk White | Iron Gray | Packaging Quantity |
|---|----------------|------------|-----------|--------------------|
|   | 600mm          | G1330600W  | G1330600G | 20PCS              |
|   | 1200mm         | G1331200W  | G1331200G | 20PCS              |


Inner Box Front Connector L/R

|  | Silk White | Iron Gray | Packaging Quantity |
|---|------------|-----------|--------------------|
|   | G131200W   | G131200G  | 20SET              |


G1303 Half glass Inside the glass H=167mm



Internal box :high glass panels

| <br>Glass thickness: 8mm | Applicable cabinet width | Transparency | Packaging Quantity |
|---|--------------------------|--------------|--------------------|
|   | 600mm                    | G1360476T    | 20PCS              |
|   | 800mm                    | G1360676T    | 20PCS              |
|   | 900mm                    | G1360776T    | 20PCS              |

Inner Box panel

| <br>Cabinet net width LW-100 | Nominal length | Silk White | Iron Gray | Packaging Quantity |
|---|----------------|------------|-----------|--------------------|
|   | 600mm          | G1330600W  | G1330600G | 20PCS              |
|   | 1200mm         | G1331200W  | G1331200G | 20PCS              |


Inner Box Front Connector L/R

|  | Silk White | Iron Gray | Packaging Quantity |
|---|------------|-----------|--------------------|
|   | G130300W   | G130300G  | 20SET              |


G1303 Inside the glass H=167mm



Internal box :high glass panels

| <br>Glass thickness: 8mm | Applicable cabinet width | Transparency | Packaging Quantity |
|---|--------------------------|--------------|--------------------|
|   | 600mm                    | G1360476T    | 20PCS              |
|   | 800mm                    | G1360676T    | 20PCS              |
|   | 900mm                    | G1360776T    | 20PCS              |

Inner Box panel

| <br>Cabinet net width LW-100 | Nominal length | Silk White | Iron Gray | Packaging Quantity |
|---|----------------|------------|-----------|--------------------|
|   | 600mm          | G1330600W  | G1330600G | 20PCS              |
|   | 1200mm         | G1331200W  | G1331200G | 20PCS              |


Inner Box Front Connector L/R

|  | Silk White | Iron Gray | Packaging Quantity |
|---|------------|-----------|--------------------|
|   | G130400W   | G130400G  | 20SET              |


G1304 Half glass Inside the glass H=199mm



Internal box :high glass panels

| <br>Glass thickness: 8mm | Applicable cabinet width | Transparency | Packaging Quantity |
|---|--------------------------|--------------|--------------------|
|   | 600mm                    | G130476T     | 20PCS              |
|   | 800mm                    | G130676T     | 20PCS              |
|   | 900mm                    | G130776T     | 20PCS              |

Inner Box panel

| <br>Cabinet net width LW-100 | Nominal length | Silk White | Iron Gray | Packaging Quantity |
|---|----------------|------------|-----------|--------------------|
|   | 600mm          | G1330600W  | G1330600G | 20PCS              |
|   | 1200mm         | G1331200W  | G1331200G | 20PCS              |


Inner Box Front Connector L/R

|  | Silk White | Iron Gray | Packaging Quantity |
|---|------------|-----------|--------------------|
|   | G130300W   | G130300G  | 20SET              |


G1304 Inside the glass H=199mm



Internal box :high glass panels

| <br>Glass thickness: 8mm | Applicable cabinet width | Transparency | Packaging Quantity |
|---|--------------------------|--------------|--------------------|
|   | 600mm                    | G130476T     | 20PCS              |
|   | 800mm                    | G130676T     | 20PCS              |
|   | 900mm                    | G130776T     | 20PCS              |

Inner Box panel


| <br>Cabinet net width LW-100 | Nominal length | Silk White | Iron Gray | Packaging Quantity |
|---|----------------|------------|-----------|--------------------|
|   | 600mm          | G1330600W  | G1330600G | 20PCS              |
|   | 1200mm         | G1331200W  | G1331200G | 20PCS              |

Inner Box Front Connector L/R


|  | Silk White | Iron Gray | Packaging Quantity |
|---|------------|-----------|--------------------|
|   | G130400W   | G130400G  | 20SET              |

# MINI-BOX

## Steel Back Panel




### G1301 H84mm Steel Back Panel




| Cabinet width | Silk white | Iron gray  | Amount |
|---------------|------------|------------|--------|
| 300           | G13010230W | G13010230G | 20PCS  |
| 400           | G13010330W | G13010330G | 20PCS  |
| 500           | G13010430W | G13010430G | 20PCS  |
| 600           | G13010530W | G13010530G | 20PCS  |
| 700           | G13010630W | G13010630G | 20PCS  |
| 800           | G13010730W | G13010730G | 20PCS  |
| 1000          | G13010930W | G13010930G | 20PCS  |
| 1200          | G13011030W | G13011030G | 20PCS  |

### G1302 H116mm Steel Back Panel




| Cabinet width | Silk white | Iron gray  | Amount |
|---------------|------------|------------|--------|
| 300           | G13020230W | G13020230G | 20PCS  |
| 400           | G13020330W | G13020330G | 20PCS  |
| 500           | G13020430W | G13020430G | 20PCS  |
| 600           | G13020530W | G13020530G | 20PCS  |
| 700           | G13020630W | G13020630G | 20PCS  |
| 800           | G13020730W | G13020730G | 20PCS  |
| 1000          | G13020930W | G13020930G | 20PCS  |
| 1200          | G13021030W | G13021030G | 20PCS  |

### G1303 H167mm Steel Back Panel



| Cabinet width | Silk white | Iron gray  | Amount |
|---------------|------------|------------|--------|
| 300           | G13030230W | G13030230G | 20PCS  |
| 400           | G13030330W | G13030330G | 20PCS  |
| 500           | G13030430W | G13030430G | 20PCS  |
| 600           | G13030530W | G13030530G | 20PCS  |
| 700           | G13030630W | G13030630G | 20PCS  |
| 800           | G13030730W | G13030730G | 20PCS  |
| 1000          | G13030930W | G13030930G | 20PCS  |
| 1200          | G13031030W | G13031030G | 20PCS  |



### G1304 H199mm Steel Back Panel



| Cabinet width | Silk white | Iron gray  | Amount |
|---------------|------------|------------|--------|
| 300           | G13040230W | G13040230G | 20PCS  |
| 400           | G13040330W | G13040330G | 20PCS  |
| 500           | G13040430W | G13040430G | 20PCS  |
| 600           | G13040530W | G13040530G | 20PCS  |
| 700           | G13040630W | G13040630G | 20PCS  |
| 800           | G13040730W | G13040730G | 20PCS  |
| 1000          | G13040930W | G13040930G | 20PCS  |
| 1200          | G13041030W | G13041030G | 20PCS  |



Product Details



Product information:  
 LW; Cabinet Net Width  
 Base Panel Length = Nominal Length -19mm  
 Back Panel Length = Cabinet Net Width (LW) -33.5 ± 0.5

LW Cabinet Net Width  
 NL Nominal Length




# MINI-BOX


Tower Cabinet




Inner installation position of the cabinet



Drilling hole size - panel



Drilling hole size - panel



Describe

"Move" the storage room into the kitchen; Vertical multilateral layer partitions, Each layer can be pulled out individually; Storage space is fully utilized; Full extension design, All the items are on display, and easy to reach from three different directions; Flexible internal structure, Make the placement of each food reasonable and orderly; Width, height and depth can be adjusted flexibly according to the desired storage space.

## Product information

### Recommended application for the inner-box drawer

|                         |     |
|-------------------------|-----|
| G1301 Inner Box H=84mm  | 144 |
| G1303 Inner Box H=167mm | 144 |

### Recommended application for the inner-box glass drawers


|  |     |
|--|-----|
| G1301 Inner-box glass drawers H=84mm             | 145 |
| G1303 Half block Inner-box glass drawers H=167mm | 145 |
| G1303 Inner-box glass drawers H=167mm            | 145 |

### Recommended application for the Hinge

|  |     |
|--|-----|
| GT165 Special degree Soft-closing Hinges | 049 |
|--|-----|



Product Details




# MINI-BOX

Wardrobe



## Space requirements of the inner cabinet installation



| Installation height | X(mm) |
|---------------------|-------|
| M                   | 112   |
| K                   | 150   |
| B                   | 198   |
| D                   | 233   |

### Product information

#### Recommended application for the inner-box drawer

|                         |     |
|-------------------------|-----|
| G1301 Inner Box H=84mm  | 144 |
| G1303 Inner Box H=167mm | 144 |

#### Recommended application for the inner-box glass drawers

|  |     |
|--|-----|
| G1301 Inner-box glass drawers H=84mm             | 145 |
| G1303 Half block Inner-box glass drawers H=167mm | 145 |
| G1303 Inner-box glass drawers H=167mm            | 145 |

#### Recommended application for the Hinge

|                           |     |
|---------------------------|-----|
| KL72 Aluminum frame hinge | 021 |
|---------------------------|-----|



Product Details

### Describe


Out of the frame and refuse to be cookie-cutter;  
Glass side transparency design, easy to take, needn't disrupt the order of the item;  
Minimalist and elegance, from the inside out, it is clean and neat, with graceful experience.  
Slim and Light Design, it is more flexible, and good to expand the storage space;  
Slim line sense, smooth edging, your touch will bring you advanced sense;  
The use of high-quality slide, smooth pushing and pulling, brings you a pleasant and safe experience for each opening;  
The noiseless Soft-closing system is used to say goodbye to noises and make the closure gentle and quiet.

# MINI-BOX


Storage Narrow cabinet



Space requirements of the inner cabinet installation    Drilling hole size - panel



| Installation height | X(mm) |
|---------------------|-------|
| M                   | 110   |
| K                   | 151   |
| B                   | 198   |
| D                   | 233   |



| Installation height | Low draw side panel height | Y(mm) |
|---------------------|----------------------------|-------|
| M                   | M                          | 47.5  |
| K                   | K                          | 47.5  |
| B                   | B                          | 47.5  |
| D                   | D                          | 47.5  |

## Product information

### Drawer Recommended Apps

|                      |     |
|----------------------|-----|
| G1301 Drawer H=68mm  | 123 |
| G1302 Drawer H=100mm | 125 |
| G1303 Drawer H=151mm | 127 |
| G1304 Drawer H=183mm | 129 |

### Recommended applications for glass drawers

|                           |     |
|---------------------------|-----|
| G1311 Glass drawerH=68mm  | 133 |
| G1312 Glass drawerH=100mm | 135 |
| G1313 Glass drawerH=151mm | 137 |
| G1314 Glass drawerH=183mm | 139 |



Product Details

## Describe

Don't waste every inch of space;  
Even the narrowest gap can be fully utilized;  
Flexible creating storage space for bottles,  
cutting boards, baking pans, etc.;

Full-extension drawer for easy to reach objects;  
Diagonal slide can ensure high stability of the drawer;  
Suitable for cabinet widths above 200mm;  
The load-bearing capacity is up to 40kg.





5311 Storage system




| Nominal length | Silk white | Iron gray | Amount |
|----------------|------------|-----------|--------|
| 350            | 5311350W   | 5311350G  | 6SET   |
| 400            | 5311400W   | 5311400G  | 6SET   |
| 450            | 5311450W   | 5311450G  | 6SET   |
| 500            | 5311500W   | 5311500G  | 6SET   |
| 550            | 5311550W   | 5311550G  | 6SET   |



5312 Storage system



| Nominal length | Silk white | Iron gray | Amount |
|----------------|------------|-----------|--------|
| 350            | 5312350W   | 5312350G  | 6SET   |
| 400            | 5312400W   | 5312400G  | 6SET   |
| 450            | 5312450W   | 5312450G  | 6SET   |
| 500            | 5312500W   | 5312500G  | 6SET   |
| 550            | 5312550W   | 5312550G  | 6SET   |




5322 Stainless steel cutlery box



| Nominal length | Silk white | Iron gray | Amount |
|----------------|------------|-----------|--------|
| 450            | 5321450W   | 5321450G  | 6SET   |
| 500            | 5322500W   | 5322500G  | 6SET   |



Recommended collocation



| Nominal length | Product Code | Cabinet width |
|----------------|--------------|---------------|
| 450mm          | 5322450X1    | 400-500mm     |
| 500mm          | 5322500X1    | 400-500mm     |




| Nominal length | Product Code        | Cabinet width |
|----------------|---------------------|---------------|
| 450mm          | 5322450X1+5311450X1 | 600-800mm     |
| 500mm          | 5322500X1+5311500X1 | 600-800mm     |



| Nominal length | Product Code        | Cabinet width |
|----------------|---------------------|---------------|
| 450mm          | 5322450X2+5311450X1 | 900-1000mm    |
| 500mm          | 5322500X2+5311500X1 | 900-1000mm    |




| Nominal length | Product Code        | Cabinet width |
|----------------|---------------------|---------------|
| 450mm          | 5322450X2+5312450X1 | 1200mm        |
| 500mm          | 5322500X2+5312500X1 | 1200mm        |



**Product Description**


The organizer is reasonable and orderly. Every item is properly and tidy placed. Exquisite craftsmanship, unconventional design, naturally exudes the elegant temperament of the space. Adjustable divider, breaking its fixed rules, can freely adjust the size of the separation space, so that the storage is flexible and changeable.



**5311 Storage compartment**




| Nominal length | silk white | Iron gray | Amount |
|----------------|------------|-----------|--------|
| 350            | 5311350W   | 5311350G  | 6SET   |
| 400            | 5311400W   | 5311400G  | 6SET   |
| 450            | 5311450W   | 5311450G  | 6SET   |
| 500            | 5311500W   | 5311500G  | 6SET   |
| 550            | 5311550W   | 5311550G  | 6SET   |




**5312 Storage compartment**




| Nominal length | silk white | Iron gray | Amount |
|----------------|------------|-----------|--------|
| 350            | 5312350W   | 5312350G  | 6SET   |
| 400            | 5312400W   | 5312400G  | 6SET   |
| 450            | 5312450W   | 5312450G  | 6SET   |
| 500            | 5312500W   | 5312500G  | 6SET   |
| 550            | 5312550W   | 5312550G  | 6SET   |



**Recommended collocation**




| Nominal length | Product Code | Cabinet width |
|----------------|--------------|---------------|
| 350-550mm      | 5311XXX*1    | 400-500mm     |



| Nominal length | Product Code        | Cabinet width |
|----------------|---------------------|---------------|
| 350-550mm      | 5311XXX*1+5312XXX*1 | 600-700mm     |



| Nominal length | Product Code        | Cabinet width |
|----------------|---------------------|---------------|
| 350-550mm      | 5311XXX*2+5312XXX*1 | 800-900mm     |




| Nominal length | Product Code        | Cabinet width |
|----------------|---------------------|---------------|
| 350-550mm      | 5311XXX*2+5312XXX*2 | 1000-1200mm   |



**Product Description**


The organizer is reasonable and orderly. Every item is properly and tidy placed. Exquisite craftsmanship, unconventional design, naturally exudes the elegant temperament of the space. Adjustable divider, breaking its fixed rules, can freely adjust the size of the separation space, so that the storage is flexible and changeable.



**5313 Storage compartment**




| Nominal length | Silk white | Iron gray | Amount |
|----------------|------------|-----------|--------|
| 350            | 5313350W   | 5313350G  | 6SET   |
| 400            | 5313400W   | 5313400G  | 6SET   |
| 450            | 5313450W   | 5313450G  | 6SET   |
| 500            | 5313500W   | 5313500G  | 6SET   |
| 550            | 5313550W   | 5313550G  | 6SET   |




**531 Storage compartment**



| Nominal length | Silk white | Iron gray | Amount |
|----------------|------------|-----------|--------|
| 350            | 5314350W   | 5314350G  | 6SET   |
| 400            | 5314400W   | 5314400G  | 6SET   |
| 450            | 5314450W   | 5314450G  | 6SET   |
| 500            | 5314500W   | 5314500G  | 6SET   |
| 550            | 5314550W   | 5314550G  | 6SET   |



**Recommended collocation**




| Nominal length | Product Code | Cabinet width |
|----------------|--------------|---------------|
| 350-550mm      | 5311XXX*1    | 400-500mm     |



| Nominal length | Product Code        | Cabinet width |
|----------------|---------------------|---------------|
| 350-550mm      | 5311XXX*1+5312XXX*1 | 600-700mm     |






| Nominal length | Product Code        | Cabinet width |
|----------------|---------------------|---------------|
| 350-550mm      | 5311XXX*2+5312XXX*1 | 800-900mm     |



| Nominal length | Product Code        | Cabinet width |
|----------------|---------------------|---------------|
| 350-550mm      | 5311XXX*2+5312XXX*2 | 1000-1200mm   |




| Product Code | Packaging Quantity | KBCabinet width | The amount of Plate Holder |
|--------------|--------------------|-----------------|----------------------------|
| GR2361       | 10PCS              | 400-600MM       | 2PCS                       |
|              |                    | 800-900MM       | 4PCS                       |
|              |                    | 1000-1200MM     | 6PCS                       |




| Product Code | Product name       | Specification | Color      | Packaging Quantity | Product portfolio |
|--------------|--------------------|---------------|------------|--------------------|-------------------|
| G130600G     | Divider            | 600mm         | Iron gray  | 20PCS              | Crop sizeLW-48mm  |
| G131200G     | Divider            | 1200mm        | Iron gray  | 20PCS              | Crop sizeLW-48mm  |
| G130600W     | Divider            | 600mm         | Silk white | 20PCS              | Crop sizeLW-48mm  |
| G131200W     | Divider            | 1200mm        | Silk white | 20PCS              | Crop sizeLW-48mm  |
| G13001G      | Divider connectors |               | Iron gray  | 20PCS              |                   |
| G13001W      | Divider connectors |               | Silk white | 20PCS              |                   |
| G13002G      | Riser              |               | Iron gray  | 20PCS              |                   |
| G13002W      | Riser              |               | Silk white | 20PCS              |                   |




Drawer mounting




Drawer installation




Adjustment




Locking and removal




Drawer assembly and removal




Higher square bar mounting




Internal panel mounting




Drawer mounting




Drawer installation




Adjustment




Locking and removal



Drawer assembly and removal



With handrail mounting



High side inner box drawer with higher side panel mounting

