

GARIS®



KNOW MORE

GuangdongGARIS Precision Hardware Technology CO.,LTD

📞 0769-81510298

🌐 WWW.GARIS.COM.CN

✉ GARIS@GARIS.COM.CN

📍 No.2, Weibian Rd, Shuijiu, Changping, Dongguan, Guangdong



TUV
GERMAN
TECHNICAL
CERTIFICATION



SGS
INTERNATIONAL
TESTING AND
CERTIFICATION



ISO 9001
QUALITY SYSTEM
CERTIFICATION



ISO 14001
ENVIRONMENTAL
SYSTEM CERTIFICATION



HIGH-TECH
ENTERPRISE
CERTIFICATION

VONA BOX DRAWER SYSTEM



N

Vona Box
Drawer System



! COMPANY INTRODUCTION

Garis, founded in 2001, is a leading manufacturer of functional home hardware, offering diverse solutions for creative living spaces. As a top player in China's hardware industry, its products are sold in 72 countries, serving global custom home and cabinet manufacturers with high-quality solutions.

Garis, recognized as a national high-tech enterprise, upholds the corporate philosophy of "exploring the essence of things to acquire knowledge and pioneering innovation." Guided by the high-end market, the company is committed to independent innovation and research and development. With over 150 R&D experts and 1,500 employees, it operates three production bases (200,000 sqm total), a research center, and holds 100+ patents. Certified by ISO9001 and ISO14001, Garis uses smart production and digital management.

150 +
Research and Development

72 +
Best-selling countries


20,0000 m²
Production base area

100 +
Utility Model

Garis provides end-to-end services from design to delivery, ensuring flexible, high-standard production to meet global clients' diverse and time-sensitive needs.



! PRODUCTION BASE




GARIS products thrive globally, driving production expansion. Since 2013, GARIS built facilities in Heyuan, Guangdong Province—Garis Lianping Industrial Park and Garis High-Tech Zone—totaling 200,000 sqm. Surrounded by nature environment, the zones exemplify "green production" and a "garden-style industrial park," with efficient transportation networks.

With over 20 years of growth, GARIS boasts a robust production system, featuring cutting-edge international equipment and advanced automated robotic lines. The company employs 150+ R&D experts and 1,500+ staff, using smart production and digital platforms across all stages—from raw material cutting to stamping, molding, injection molding, spraying, assembly, quality inspection, and product shipment.

Every step, from design to quality and performance, is meticulously managed, reducing energy use while boosting production output.



! Development course



2025

The all-new IN Series and IR Series soft-closing drawers have made a powerful debut, collaborating to revolutionize the drawer divider storage solutions and ushering in a new era for the high-end custom home hardware industry.

2022

The construction of the new facility in Garis Heyuan High-Tech Zone has commenced, with a total construction area of 100,000 square meters. The factory's production space has been expanded to 200,000 square meters, providing greater capacity for Garis' future development.

2021

The 13MM ultra-slim borderless U-BOX soft-closing drawer series, seamlessly aligned with modern aesthetic design, debuts innovatively. With a groundbreaking breakthrough in concealed slide performance and synchronization, it ensures precise and smooth sliding, offering versatile solutions for diverse home spaces.



2001

GARIS was established, primarily producing home plastic and hardware accessories, with a factory area of 500 square meters.

2005

GARIS's soft-closing drawer system is sold in 36 countries worldwide and has established strategic partnerships with renowned global cabinet manufacturers and hardware traders.

2007

The second-generation concealed soft-closing drawer system quickly dominated the market. The company expanded production into a 20,000 m² facility, employed 300 staff, and achieved an annual output exceeding 100 million yuan.

2009

Garis Office Building was completed, equipped with a new R&D center and laboratory center, which were built to develop higher quality products and provide better services for global users.

2015

The Garis construction area of the Lianping factory in Heyuan City, is 60,000 square meters. Two fully automatic spraying production lines have been introduced, significantly doubling the production capacity of drawers.

2019

The G2 and G6 concealed slides, along with the METAL-BOX ultra-thin drawers, have been simultaneously launched, providing enhanced options for diverse home space solutions.

2002

The company built a comprehensive domestic sales network and expanded into overseas markets, leading to rapid growth. The production area increased to 1,500 square meters.

2004

GARIS pioneered the domestic soft-closing drawer system and debuted at the Guangzhou International Hardware and Accessories Exhibition, quickly gaining widespread attention and acclaim from customers worldwide. This success laid a solid foundation for GARIS's future growth.

2006

Major modifications have been implemented for the soft-closing drawer system, alongside ongoing enhancements to refine the product's features and structural design.

2008

Venturing into the basket slide market and swiftly rising to prominence as a leading domestic basket manufacturer and top supplier for cabinet accessories, consistently securing a market share exceeding 80%.

2011

The new generation IN-BOX versatile drawer has been innovatively launched. A breakthrough in soft-closing slide technology has been achieved, developing its rails with a load-bearing capacity of 45KG/70KG.

2013

The ultra-thin, brand-new MINI-BOX optimized slim soft-closing drawer series has been successfully launched, alongside the release of a newly designed storage system.

2017

soft-closing technology has achieved a major breakthrough. The innovative stepless variable soft-closing technology enables smoother sliding and softer closing.

! GLOBAL SALES NETWORK



ASIA

	IN	New Delhi
	IL	Jerusalem
	KR	Seoul
	CN	Beijing
	BL	
	KW	Kuwait City
	AE	Riyadh
	MY	Kuala Lumpur
	VN	Hanoi
	PK	Islamabad
	TH	Bangkok
	IR	Tehran
	NP	Kathmandu
	ID	Jakarta
	SG	Singapore City
	HK	
	JP	Tokyo
	MN	Ulaanbaatar
	LB	Beirut

EUROPE

	ES	Madrid
	PL	Warsaw
	IE	Dublin
	GB	London
	PT	Lisbon
	GR	Athens
	SI	Ljubljana
	UA	Kiev
	SK	Bratislava
	CZ	Prague
	MD	Chisinau
	IT	Rome
	DE	Berlin
	TR	Ankara
	RS	Belgrade
	BU	Sofia
	FR	Paris
	RF	Moscow

AFRICA 非洲

	TN	Tunis
	MA	Rabat
	ZA	Pretoria

OCEANIA 大洋洲

	AU	Canberra
	NZ	Wellington

SOUTH AMERICA 南美洲

	BR	Brasilia
	CL	San Diego
	AR	Buenos Aires

NORTH AMERICA 北美洲

	US	Washington
	CA	Ottawa



Natural Aesthetics

Like the flowing grain of forest timber, we channel nature's essence into modern living spaces – whether through the grounded serenity of dark walnut or the crisp vitality of light oak. Customizable wood patterns seamlessly merge with the opulent textures of haute couture interiors, embodying an ultimate philosophy where "aesthetics are concealed in design, yet revealed through taste."



Ultra-thin and Exquisite

9mm ultra-thin design (30% thinner than traditional models) eliminates visual clutter while unlocking more spatial possibilities. The metallic luster and delicate texture infuse high-end custom spaces with a futuristic and minimalist aesthetic, embodying the design philosophy of "less is more".





Lightness and Transparency

Transcending spatial boundaries to liberate visual continuity. Whether in kitchen storage systems or walk-in closet cabinetry, the transparent approach imbues spaces with breathable vitality and organic fluidity, illuminating high-end custom spaces interiors through the poetic essence of transparency.



They together embody an ultimate aesthetic of "truth in design, excellence in taste," allowing home spaces to reveal unique charm and sophistication through meticulous details.



The ultra-thin design and unique luster, combined with the exquisite texture, inject an avant-garde futuristic style and minimalist modern home charm into the high-end space.

Innovative Architecture · Scalable Platform

With cutting-edge platform architecture design, we focus on crafting new experiences in personalized home customization. Tailored to each client's unique needs and interior style, we offer diverse design options, empowering you to freely select materials such as wood, glass, metal, and more for custom side panels. Whether embracing modern minimalism, classic luxury, or eclectic fusion, our designs integrate flawlessly into any aesthetic, adding distinctive charm to your living space.

NS9 Side Panels Customizable in Diverse PET Laminates Textures

N9 9mm Ultra-Thin Minimalist Design (30% Thinner Than Traditional Models)



N9+ 9mm Ultra-Thin Minimalist Design. Side panels allow changeable colored glass, wood textures, or stone textures.

N13 13mm Thickness Design. Minimalist & Timeless Aesthetic

N13+ 13mm Thickness Design Changeable glass with multiple color and texture options.

New Slide Runner System




- Concealed Full-Extension Design
- Three Extension Synchronization Rail Technology
- Built-in SCT Stepless Soft-closing Technology
- TOS Touch-open Mechanism
- Dynamic Load Capacity: 40kg





Effortless Soft-closing Push to Open Slide

Utilizes advanced continuously variable transmission (CVT) technology with intelligent assist device
Achieves smooth transitions between speed and power through
optimized continuous adjustment of transmission ratios and power delivery methods
Intelligently controls drawer opening/closing speed and force






Synchronous Push to Open System

Features innovative press-sync ejection mechanism

Gentle press anywhere on panel activates built-in synchronous linkage for coordinated, smooth extension

Perfectly aligns with modern handle-free minimalist design concepts





Light-touch Push to Open with smooth operation

Maintains silky motion even under full capacity



Minimum 2.8mm gap enhances dust/insect protection

Optimized cabinet appearance through precision gap control





Product Series ▶

NS9

Vona Box





Kitchen



Bath & Sanitary



Walk-in Closet

PET Laminate

Antibacterial & Moisture-Proof: Inhibits bacterial growth and resists water damage, ensuring kitchen effortless cleaning.

Scratch & Wear Resistance: Hardened surface withstands daily abrasions for lasting aesthetics.

Soft-Touch Finish: Realistic textures with velvety smoothness, elevate home comfort.

Eco-Friendly & Versatile: Non-toxic materials with diverse color options for personalized designs.

Antibacterial & Waterproof: Bacteria-resistant surface; ideal for humid environments

Scratch-Resistant


Hardened finish resists daily wear

Soft-Touch Texture

Realistic texture with smooth tactile feel

Eco-Friendly & Diverse Colors

Non-toxic, 50+ customizable options



Incorporating external lighting

With the external lighting design, whenever the drawer is gently opened, the soft light will shine like the first rays of dawn, gently passing through every inch of space in the cabinet, delicately outlining the contours of each item.

A Timeless Elm


B Mayan Oak

C Slate Silver Oak

D Mountain Mist Oak

E Moonfall Onyx

F Castle Noir





Vona Box NS 9

H94 Low Drawer




[View product details](#)

Set Packaging

Metal Drawer Note (1) : L/Gravel White S/Gravel Grey Y/Gravel Black
Wood Grain Notes (2) : A/Timeless Elm B/Mayan Oak C/Slate Silver Oak
D/Mountain Mist Oak E/Moonfall Onyx F/Castle Noir

Nominal Length	Soft-closing Drawer	Push to Open Drawer	Push to Open Soft-closing Drawer
270	NS901270 (1) (2)	\	\
300	NS901300 (1) (2)	NS911300 (1) (2)	\
350	NS901350 (1) (2)	NS911350 (1) (2)	NS921350 (1) (2)
400	NS901400 (1) (2)	NS911400 (1) (2)	NS921400 (1) (2)
450	NS901450 (1) (2)	NS911450 (1) (2)	NS921450 (1) (2)
500	NS901500 (1) (2)	NS911500 (1) (2)	NS921500 (1) (2)
550	NS901550 (1) (2)	NS911550 (1) (2)	NS921550 (1) (2)



① Concealed Full Extension sync Slide L/R

	Soft-closing Slide	NH01 (1)
	Push to Open	NH11 (1)
	Push to Open Soft-closing	NH21 (1)
	Nominal Length	Notes (1) : 270/300/350/400/450/500/550

③ Front Connector

	Front Connector	Product Code	RQ0601
	Quick-mounting Front Connector	Product Code	RQ0602

② Side Panel L/R


	Product Code	NS9A1 (1) (2) (3)
	Nominal Length	Notes (1) : 270/300/350/400/450/500/550
	Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black
	Texture Options	Notes (3) : A/B/C/D/E/F

④ Synchronized Rod

	Product Code	RAL1000
	Cutting Dimension for Push to Open Sync Rod = Cabinet Net Width LW - 218	
	Cutting Dimension for Soft-Closing Push to Open Sync Rod = Cabinet Net Width LW - 281	


Cabinet Slide Mounting Size

Nominal Length(mm)



Space Requirements

Nominal Length



16mm(thickness)MDF Cutting Size

Wooden back panel	Back panel	KB Cabinet Width LW Cabinet Net Width NL Nominal Length



Vona Box NS 9


H135 Low Drawer

[View product details](#)

[View Product Details](#)
Set Packaging

Metal Drawer Note (1) : L/Gravel White S/Gravel Grey Y/Gravel Black
Wood Grain Notes (2) : A/Timeless Elm B/Mayan Oak C/Slate Silver Oak
D/Mountain Mist Oak E/Moonfall Onyx F/Castle Noir

Nominal Length	Soft-closing Drawer	Push to Open Drawer	Push to Open Soft-closing Drawer
270	NS902270 (1) (2)	\	\
300	NS902300 (1) (2)	NS912300 (1) (2)	\
350	NS902350 (1) (2)	NS912350 (1) (2)	NS922350 (1) (2)
400	NS902400 (1) (2)	NS912400 (1) (2)	NS922400 (1) (2)
450	NS902450 (1) (2)	NS912450 (1) (2)	NS922450 (1) (2)
500	NS902500 (1) (2)	NS912500 (1) (2)	NS922500 (1) (2)
550	NS902550 (1) (2)	NS912550 (1) (2)	NS922550 (1) (2)


① Concealed Full Extension sync Slide L/R

Soft-closing Slide	NH01 (1)
Push to Open	NH11 (1)
Push to Open Soft-closing	NH21 (1)
Nominal Length	Notes (1) : 270/300/350/400/450/500/550

Front Connector	Wood Screws UsingΦ3*20mm 4PCS
Quick-mounting Front Connector	Product Code RQ0601


Side Panel L/R	Product Code NS9A2 (1) (2) (3)
	Nominal Length Notes (1) : 270/300/350/400/450/500/550
	Color Options Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black
	Texture Options Notes (3) : A/B/C/D/E/F

④ Synchronized Rod


Synchronized Rod	Product Code RAL1000
	Cutting Dimension for Push to Open Sync Rod = Cabinet Net Width LW - 218
	Cutting Dimension for Soft-Closing Push to Open Sync Rod= Cabinet Net Width LW - 281

Cabinet Slide Mounting Size

Nominal Length(mm)


Space Requirements

Nominal Length


16mm(thickness)MDF Cutting Size

Wooden back panel	Back panel	KB Cabinet Width LW Cabinet Net Width NL Nominal Length
A	B	
LW-26	LW-39	LW KB NL-3



Vona Box NS 9

H182 High Drawer




[View product details](#)

Set Packaging

Metal Drawer Note (1) : L/Gravel White S/Gravel Grey Y/Gravel Black
Wood Grain Notes (2) : A/Timeless Elm B/Mayan Oak C/Slate Silver Oak
D/Mountain Mist Oak E/Moonfall Onyx F/Castle Noir

Nominal Length	Soft-closing Drawer	Push to Open Drawer	Push to Open Soft-closing Drawer
270	NS903270 (1) (2)	\	\
300	NS903300 (1) (2)	NS913300 (1) (2)	\
350	NS903350 (1) (2)	NS913350 (1) (2)	NS923450 (1) (2)
400	NS903400 (1) (2)	NS913400 (1) (2)	NS923400 (1) (2)
450	NS903450 (1) (2)	NS913450 (1) (2)	NS923450 (1) (2)
500	NS903500 (1) (2)	NS913500 (1) (2)	NS923500 (1) (2)
550	NS903550 (1) (2)	NS913550 (1) (2)	NS923550 (1) (2)



① Concealed Full Extension sync Slide L/R



Soft-closing Slide	NH01 (1)
Push to Open	NH11 (1)
Push to Open Soft-closing	NH21 (1)
Nominal Length	Notes (1) : 270/300/350/400/450/500/550

③ Front Connector	Wood Screws UsingΦ3*20mm 8PCS
Front Connector	Product Code RQ1481
Quick-mounting Front Connector	Product Code RQ1482

② Side Panel L/R



Product Code	NS9A3 (1) (2) (3)
Nominal Length	Notes (1) : 270/300/350/400/450/500/550
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black
Texture Options	Notes (3) : A/B/C/D/E/F


④ Synchronized Rod	RAL1000
Product Code	RAL1000
Cutting Dimension for Push to Open Sync Rod = Cabinet Net Width LW - 218	
Cutting Dimension for Soft-Closing Push to Open Sync Rod= Cabinet Net Width LW - 281	

Cabinet Slide Mounting Size

Nominal Length(mm)


350-400

450-550




Space Requirements

Nominal Length




16mm(thickness)MDF Cutting Size


Wooden back panel



Back panel



KB Cabinet Width LW Cabinet Net Width
NL Nominal Length





Vona Box NS 9

H217 High Drawer

[View product details](#)




View Product Details

Set Packaging

Metal Drawer Note (1) : L/Gravel White S/Gravel Grey Y/Gravel Black
Wood Grain Notes (2) : A/Timeless Elm B/Mayan Oak C/Slate Silver Oak
D/Mountain Mist Oak E/Moonfall Onyx F/Castle Noir

Nominal Length	Soft-closing Drawer	Push to Open Drawer	Push to Open Soft-closing Drawer
270	NS904270 (1) (2)	\	\
300	NS904300 (1) (2)	NS914300 (1) (2)	\
350	NS904350 (1) (2)	NS914350 (1) (2)	NS924450 (1) (2)
400	NS904400 (1) (2)	NS914400 (1) (2)	NS924400 (1) (2)
450	NS904450 (1) (2)	NS914450 (1) (2)	NS924450 (1) (2)
500	NS904500 (1) (2)	NS914500 (1) (2)	NS924500 (1) (2)
550	NS904550 (1) (2)	NS914550 (1) (2)	NS924550 (1) (2)




① Concealed Full Extension sync Slide L/R



Soft-closing Slide	NH01 (1)
Push to Open	NH11 (1)
Push to Open Soft-closing	NH21 (1)
Nominal Length	Notes (1) : 270/300/350/400/450/500/550

Front Connector	Wood Screws UsingΦ3*20mm 8PCS
Front Connector	Product Code RQ1481
Quick-mounting Front Connector	Product Code RQ1482

② Side Panel L/R




Product Code	NS9A4 (1) (2) (3)
Nominal Length	Notes (1) : 270/300/350/400/450/500/550
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black
Texture Options	Notes (3) : A/B/C/D/E/F

Synchronized Rod	RAL1000
Product Code	RAL1000
Cutting Dimension for Push to Open Sync Rod = Cabinet Net Width LW - 218	
Cutting Dimension for Soft-Closing Push to Open Sync Rod= Cabinet Net Width LW - 281	


Cabinet Slide Mounting Size

Nominal Length(mm)



Space Requirements

Nominal Length



16mm(thickness)MDF Cutting Size

Wooden back panel	Back panel	KB Cabinet Width LW Cabinet Net Width NL Nominal Length




Vona Box NS 9


LED System

Product Information

Color Note (1) : L/Gravel White S/Gravel Grey Y/Gravel Black	
Nominal Length	Product Information
350	RLDE10350 (1)
400	RLDE10400 (1)
450	RLDE10450 (1)
500	RLDE10500 (1)
550	RLDE10550 (1)



LED Lighting Installation



The external lighting system introduced, with its soft and uniform lighting effect, makes every item in the cabinet bathed in a clearly visible light. Such lighting design not only greatly facilitates users to quickly find and take out the required items, but also cleverly creates a warm, pleasant, comfortable and cozy space atmosphere, making every opening a kind of enjoyment.



View Product Details

Vona Box NS 9

Suitable for NS9 H94 Drawer



Internal Drawer Panel		
	Product Code	RB01 (1) (2)
Nominal Length	Notes(1): 600/1200	
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black	
Cutting Selections	Cutting Size= Cabinet Width/LW-48	

Internal Drawer Front Connector L/R		
	Product Code	R9Q0601 (1)
Color Options	Notes (1) : L/Gravel White S/Gravel Grey Y/Gravel Black	

Suitable for NS9 H135 Drawer



Internal Drawer Panel		
	Product Code	RB01 (1) (2)
Nominal Length	Notes(1): 600/1200	
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black	
Cutting Selections	Cutting Size= Cabinet Width/LW-48	

Internal Drawer Front Connector L/R		
	Product Code	R9Q1011 (1)
Color Options	Notes (1) : L/Gravel White S/Gravel Grey Y/Gravel Black	

Suitable for NS9 H135 Drawer



Internal Drawer Panel		
	Product Code	RB02(1)(2)
Nominal Length	Notes(1): 600/1200	
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black	
Cutting	Cutting Size= Cabinet Width/LW-48	

Heightened Glass Panel			
	16mm Plate thickness	18mm Plate thickness	19mm Plate thickness
Product Code	RBL0057(1)(2)	RBL1057(1)(2)	RBL2057(1)(2)
Nominal Length	Notes(1): 300/350/400/450/500/550/600/800/900/1000/1200		
Color Selection	Notes (2) : B/White Glass H/Grey Glass		
Cutting	Cutting Size= Cabinet Width/LW-43		

Internal Drawer Front Connector L/R		
	Product Code	R9Q0602(1)
Color Selection	Notes (1) : L/Gravel White S/Gravel Grey Y/Gravel Black	

Suitable for NS9 H135 Drawer



Internal Drawer Panel		
	Product Code	RB02(1)(2)
Nominal Length	Notes(1): 600/1200	
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black	
Cutting Selections	Cutting Size= Cabinet Width/LW-48	

Heightened Glass Panel			
	16mm Plate thickness	18mm Plate thickness	19mm Plate thickness
Product Code	RBL0098(1)(2)	RBL1098(1)(2)	RBL2098(1)(2)
Nominal Length	Notes(1): 300/350/400/450/500/550/600/800/900/1000/1200		
Color Selection	Notes (2) : B/White Glass H/Grey Glass		
Cutting Selections	Cutting Size= Cabinet Width/LW-43		

Internal Drawer Front Connector L/R		
	Product Code	R9Q1012(1)
Color Selection	Notes (1) : L/Gravel White S/Gravel Grey Y/Gravel Black	

Vona Box NS9 唯薄抽

Suitable for NS9 H182 Drawer



Internal Drawer Panel	
	Product Code RB01 (1) (2)
Nominal Length	Notes(1): 600/1200
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black
Cutting Selections	Cutting Size= Cabinet Width/LW-48

Heightened Rod	
	Product Code RLG000 (1) (2)
Nominal Length	Notes(1): 600/1200
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black
Cutting Selections	Cutting Size= Cabinet Width/LW-48

Internal Drawer Front Connector L/R	
	Product Code R9Q1481 (1)
Color Options	Notes (1) : L/Gravel White S/Gravel Grey Y/Gravel Black

Suitable for NS9 H182 Drawer



Internal Drawer Panel	
	Product Code RB02(1)(2)
Nominal Length	Notes(1): 600/1200
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black
Cutting Selections	Cutting Size= Cabinet Width/LW-48

Heightened Rod	
	Product Code RLG000 (1) (2)
Nominal Length	Notes(1): 600/1200
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black
Cutting Selections	Cutting Size= Cabinet Width/LW-48

Heightened Glass Panel	
16mm Plate thickness	18mm Plate thickness
Product Code RBL0128(1)(2)	RBL1128(1)(2)
Nominal Length Notes(1): 300/350/400/450/500/550/600/800/900/1000/1200	RBL2128(1)(2)
Color Selection Notes (2) : B/White Glass H/Grey Glass	
Cutting Selections	Cutting Size= Cabinet Width/LW-43

Internal Drawer Front Connector L/R	
	Product Code R9Q1482(1)
Color Selection	Notes (1) : L/Gravel White S/Gravel Grey Y/Gravel Black

Suitable for NS9 H217 Drawer



Internal Drawer Panel	
	Product Code RB01 (1) (2)
Nominal Length	Notes(1): 600/1200
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black
Cutting Selections	Cutting Size= Cabinet Width/LW-48

Heightened Rod	
	Product Code RLG000 (1) (2)
Nominal Length	Notes(1): 600/1200
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black
Cutting Selections	Cutting Size= Cabinet Width/LW-48

Internal Drawer Front Connector L/R	
	Product Code R9Q1831 (1)
Color Options	Notes (1) : L/Gravel White S/Gravel Grey Y/Gravel Black

Suitable for NS9 H217 Drawer



Internal Drawer Panel	
	Product Code RB02(1)(2)
Nominal Length	Notes(1): 600/1200
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black
Cutting Selections	Cutting Size= Cabinet Width/LW-48










Heightened Rod	
	Product Code RLG000 (1) (2)
Nominal Length	Notes(1): 600/1200
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black
Cutting Selections	Cutting Size= Cabinet Width/LW-48

Heightened Glass Panel	
16mm Plate thickness	18mm Plate thickness
Product Code RBL0162(1)(2)	RBL1162(1)(2)
Nominal Length Notes(1): 300/350/400/450/500/550/600/800/900/1000/1200	RBL2162(1)(2)
Color Selection Notes (2) : B/White Glass H/Grey Glass	
Cutting Selections	Cutting Size= Cabinet Width/LW-43

Internal Drawer Front Connector L/R	
	Product Code R9Q1832(1)
Color Selection	Notes (1) : L/Gravel White S/Gravel Grey Y/Gravel Black








Vona Box NS 9

Installation information



Vona Box NS 9

Installation information




LED System

Product Information

Color Note (1): L/Gravel White S/Gravel Grey Y/Gravel Black

Nominal Length	Product Information
350	RLDE10350 (1)
400	RLDE10400 (1)
450	RLDE10450 (1)
500	RLDE10500 (1)
550	RLDE10550 (1)



N9

Vona Box





Kitchen



Walk-in Closet

9mm Ultra-Thin Design — As Thin as Your Smartphone

In home design where space-saving meets style, our ultra-slim side panels redefine storage aesthetics. At just 9mm thick, this minimalist solution blends effortless functionality with modern elegance.





N9⁺

Design Your Signature Style

Choose your favorite materials — from sleek glass to warm wood grain — and pair them with our metal frames. Every combination becomes a reflection of your personal taste, crafted to perfection through expert design.

Mix & Match Your Storage

Wood adds natural warmth with its unique grain, perfectly balancing cool metal frames. This mix adds depth and coziness to any room, fitting both classic and modern styles.

Glass gives a sleek and modern look. Teaming up with metal, it brings bright, clean vibes perfect for contemporary homes.





Vona Box N9

H76 Low Drawer


[View product details](#)



Set Packaging

Metal Drawer Note (1) : L/Gravel White S/Gravel Grey Y/Gravel Black

Nominal Length	Soft-closing Drawer	Push to Open Drawer	Push to Open Soft-closing Drawer
270	N900270 (1)	\	\
300	N900300 (1)	N910300 (1)	\
350	N900350 (1)	N910350 (1)	N920350 (1)
400	N900400 (1)	N910400 (1)	N920400 (1)
450	N900450 (1)	N910450 (1)	N920450 (1)
500	N900500 (1)	N910500 (1)	N920500 (1)
550	N900550 (1)	N910550 (1)	N920550 (1)



① Concealed Full Extension sync Slide L/R



Soft-closing Slide	NH01 (1)
Push to Open	NH11 (1)
Push to Open Soft-dosing	NH21 (1)
Nominal Length	Notes (1) : 270/300/350/400/450/500/550

③ Front Connector	Wood Screws UsingΦ3*20mm 4PCS
	Product Code RQ0421
	Product Code RQ0422

② Side Panel L/R




Product Code	N9A0 (1) (2)
Nominal Length	Notes (1) : 270/300/350/400/450/500/550
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black

④ Synchronized Rod	Product Code RAL1000
	Cutting Dimension for Push to Open Sync Rod = Cabinet Net Width LW - 218
	Cutting Dimension for Soft-Closing Push to Open Sync Rod= Cabinet Net Width LW - 281


Cabinet Slide Mounting Size

Nominal Length(mm)




Space Requirements

Nominal Length



16mm(thickness)MDF Cutting Size


Wooden back panel



Back panel



KB Cabinet Width LW Cabinet Net Width
NL Nominal Length





Vona Box N9


H94 Low Drawer



Set Packaging

Metal Drawer Note (1) : L/Gravel White S/Gravel Grey Y/Gravel Black

Nominal Length	Soft-closing Drawer	Push to Open Drawer	Push to Open Soft-closing Drawer
270	N901270 (1)	\	\
300	N901300 (1)	N911300 (1)	\
350	N901350 (1)	N911350 (1)	N921350 (1)
400	N901400 (1)	N911400 (1)	N921400 (1)
450	N901450 (1)	N911450 (1)	N921450 (1)
500	N901500 (1)	N911500 (1)	N921500 (1)
550	N901550 (1)	N911550 (1)	N921550 (1)



① Concealed Full Extension sync Slide L/R



Soft-closing Slide	NH01 (1)
Push to Open	NH11 (1)
Push to Open Soft-closing	NH21 (1)
Nominal Length	Notes (1) : 270/300/350/400/450/500/550

③ Front Connector	Wood Screws UsingΦ3*20mm 4PCS
	Product Code RQ0601
	Product Code RQ0602

② Side Panel L/R




Product Code	N9A1 (1) (2)
Nominal Length	Notes (1) : 270/300/350/400/450/500/550
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black

④ Synchronized Rod	Product Code RAL1000
	Cutting Dimension for Push to Open Sync Rod = Cabinet Net Width LW - 218
	Cutting Dimension for Soft-Closing Push to Open Sync Rod= Cabinet Net Width LW - 281


Cabinet Slide Mounting Size

Nominal Length(mm)




Space Requirements

Nominal Length



16mm(thickness)MDF Cutting Size


Wooden back panel



Back panel



KB Cabinet Width LW Cabinet Net Width
NL Nominal Length





Vona Box N9


H135 Low Drawer



Set Packaging

Metal Drawer Note (1) : L/Gravel White S/Gravel Grey Y/Gravel Black

Nominal Length	Soft-closing Drawer	Push to Open Drawer	Push to Open Soft-closing Drawer
270	N902270 (1)	\	\
300	N902300 (1)	N912300 (1)	\
350	N902350 (1)	N912350 (1)	N922350 (1)
400	N902400 (1)	N912400 (1)	N922400 (1)
450	N902450 (1)	N912450 (1)	N922450 (1)
500	N902500 (1)	N912500 (1)	N922500 (1)
550	N902550 (1)	N912550 (1)	N922550 (1)



① Concealed Full Extension sync Slide L/R



Soft-closing Slide	NH01 (1)
Push to Open	NH11 (1)
Push to Open Soft-closing	NH21 (1)
Nominal Length	Notes (1) : 270/300/350/400/450/500/550

③ Front Connector	Wood Screws UsingΦ3*20mm 4PCS
	Product Code RQ0601
	Product Code RQ0602

② Side Panel L/R




Product Code	N9A2 (1) (2)
Nominal Length	Notes (1) : 270/300/350/400/450/500/550
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black

④ Synchronized Rod	Product Code RAL1000
	Cutting Dimension for Push to Open Sync Rod = Cabinet Net Width LW - 218
	Cutting Dimension for Soft-Closing Push to Open Sync Rod= Cabinet Net Width LW - 281


Cabinet Slide Mounting Size

Nominal Length(mm)




Space Requirements

Nominal Length



16mm(thickness)MDF Cutting Size


Wooden back panel



Back panel



KB Cabinet Width LW Cabinet Net Width
NL Nominal Length





Vona Box N9

H182 High Drawer


[View product details](#)



Set Packaging

Metal Drawer Note (1) : L/Gravel White S/Gravel Grey Y/Gravel Black

Nominal Length	Soft-closing Drawer	Push to Open Drawer	Push to Open Soft-closing Drawer
270	N903270 (1)	\	\
300	N903300 (1)	N913300 (1)	\
350	N903350 (1)	N913350 (1)	N923350 (1)
400	N903400 (1)	N913400 (1)	N923400 (1)
450	N903450 (1)	N913450 (1)	N923450 (1)
500	N903500 (1)	N913500 (1)	N923500 (1)
550	N903550 (1)	N913550 (1)	N923550 (1)



① Concealed Full Extension sync Slide L/R



Soft-closing Slide	NH01 (1)
Push to Open	NH11 (1)
Push to Open Soft-dosing	NH21 (1)
Nominal Length	Notes (1) : 270/300/350/400/450/500/550

③ Front Connector	Wood Screws UsingΦ3*20mm 8PCS
Front Connector	Product Code RQ1481
Quick-mounting Front Connector	Product Code RQ1482

② Side Panel L/R




Product Code	N9A3 (1) (2)
Nominal Length	Notes (1) : 270/300/350/400/450/500/550
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black

Product Code	RAL1000
Cutting Dimension for Push to Open Sync Rod = Cabinet Net Width LW - 218	
Cutting Dimension for Soft-Closing Push to Open Sync Rod= Cabinet Net Width LW - 281	


Cabinet Slide Mounting Size

Nominal Length(mm)




Space Requirements

Nominal Length




16mm(thickness)MDF Cutting Size


Wooden back panel



Back panel



KB Cabinet Width LW Cabinet Net Width
NL Nominal Length





Vona Box N9

H217 High Drawer


[View product details](#)



Set Packaging

Metal Drawer Note (1) : L/Gravel White S/Gravel Grey Y/Gravel Black

Nominal Length	Soft-closing Drawer	Push to Open Drawer	Push to Open Soft-closing Drawer
270	N904270 (1)	\	\
300	N904300 (1)	N914300 (1)	\
350	N904350 (1)	N914350 (1)	N924350 (1)
400	N904400 (1)	N914400 (1)	N924400 (1)
450	N904450 (1)	N914450 (1)	N924450 (1)
500	N904500 (1)	N914500 (1)	N924500 (1)
550	N904550 (1)	N914550 (1)	N924550 (1)



① Concealed Full Extension sync Slide L/R



Soft-closing Slide	NH01 (1)
Push to Open	NH11 (1)
Push to Open Soft-closing	NH21 (1)
Nominal Length	Notes (1) : 270/300/350/400/450/500/550

③ Front Connector	Wood Screws Usingφ3*20mm 8PCS
Front Connector	Product Code RQ1481
Quick-mounting Front Connector	Product Code RQ1482

② Side Panel L/R




Product Code	N9A4 (1) (2)
Nominal Length	Notes (1) : 270/300/350/400/450/500/550
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black

④ Synchronized Rod	RAL1000
Cutting Dimension for Push to Open Sync Rod = Cabinet Net Width LW - 218	
Cutting Dimension for Soft-Closing Push to Open Sync Rod= Cabinet Net Width LW - 281	


Cabinet Slide Mounting Size

Nominal Length(mm)




Space Requirements

Nominal Length



16mm(thickness)MDF Cutting Size


Wooden back panel



Back panel



KB Cabinet Width LW Cabinet Net Width
NL Nominal Length





Vona Box N9⁺

H217 High Drawer


[View product details](#)



Set Packaging

Metal Drawer Note (1) : L/Gravel White S/Gravel Grey Y/Gravel Black

Nominal Length	Soft-closing Drawer	Push to Open Drawer	Push to Open Soft-closing Drawer
350	N935350 (1)	N945350 (1)	N955350 (1)
400	N935400 (1)	N945400 (1)	N955400 (1)
450	N935450 (1)	N945450 (1)	N955450 (1)
500	N935500 (1)	N945500 (1)	N955500 (1)
550	N935550 (1)	N945550 (1)	N955550 (1)



① Concealed Full Extension sync Slide L/R

	Soft-closing Slide	NH01 (1)
	Push to Open	NH11 (1)
	Push to Open Soft-closing	NH21 (1)
	Nominal Length	Notes (1) : 350/400/450/500/550

	Product Code	RQ0421
	Product Code	RQ0422

② Side Panel L/R

	Product Code	N90A4 (1) (2)
	Nominal Length	Notes (1) : 350/400/450/500/550
	Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black

	Product Code	RAL1000
	Cutting Dimension for Push to Open Sync Rod	= Cabinet Net Width LW - 218
	Cutting Dimension for Soft-Closing Push to Open Sync Rod	= Cabinet Net Width LW - 281

③ Heightened Side Panels

	Product Code	R9B121 (1) (2)
	Nominal Length	Notes (1) : 350/400/450/500/550
	Color Options	Note (2): B/White Glass H/Grey Glass
	Customization	Wood grain and other colors can be customized

	Product Code	R9L00 (1) (2)
	Nominal Length	Notes (1) : 350/400/450/500/550
	Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black

Cabinet Slide Mounting Size

Nominal Length(mm)


270-350

400-550




Space Requirements

Nominal Length



16mm(thickness)MDF Cutting Size


Wooden back panel



Back panel



KB Cabinet Width LW Cabinet Net Width
NL Nominal Length



Vona Box N9

N9 Drawer H94 Installation Information



Internal Drawer Panel		
	Product Code	RB01 (1) (2)
Nominal Length	Notes(1): 600/1200	
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black	
Cutting Selections	Cutting Size= Cabinet Width/LW-48	

Internal Drawer Front Connector L/R		
	Product Code	R9Q0601 (1)
Color Options	Notes (1) : L/Gravel White S/Gravel Grey Y/Gravel Black	

N9 Drawer H135 Installation Information



Internal Drawer Panel		
	Product Code	RB01 (1) (2)
Nominal Length	Notes(1): 600/1200	
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black	
Cutting Selections	Cutting Size= Cabinet Width/LW-48	

Internal Drawer Front Connector L/R		
	Product Code	R9Q1011 (1)
Color Options	Notes (1) : L/Gravel White S/Gravel Grey Y/Gravel Black	

N9 Drawer H94 Installation Information



Internal Drawer Panel		
	Product Code	RB02(1)(2)
Nominal Length	Notes(1): 600/1200	
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black	
Cutting	Cutting Size= Cabinet Width/LW-48	

Heightened Glass Panel		
16mm Plate thickness	18mm Plate thickness	19mm Plate thickness
Product Code	RBL0057(1)(2)	RBL1057(1)(2)
Nominal Length	Notes(1): 300/350/400/450/500/550/600/800/900/1000/1200	
Color Selection	Notes (2) : B/White Glass H/Grey Glass	
Cutting	Cutting Size= Cabinet Width/LW-43	

Internal Drawer Front Connector L/R		
	Product Code	R9Q0602(1)
Color Selection	Notes (1) : L/Gravel White S/Gravel Grey Y/Gravel Black	

N9 Drawer H135 Installation Information



Internal Drawer Panel		
	Product Code	RB02(1)(2)
Nominal Length	Notes(1): 600/1200	
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black	
Cutting Selections	Cutting Size= Cabinet Width/LW-48	

Heightened Glass Panel		
16mm Plate thickness	18mm Plate thickness	19mm Plate thickness
Product Code	RBL0098(1)(2)	RBL1098(1)(2)
Nominal Length	Notes(1): 300/350/400/450/500/550/600/800/900/1000/1200	
Color Selection	Notes (2) : B/White Glass H/Grey Glass	
Cutting Selections	Cutting Size= Cabinet Width/LW-43	

Internal Drawer Front Connector L/R		
	Product Code	R9Q1012(1)
Color Selection	Notes (1) : L/Gravel White S/Gravel Grey Y/Gravel Black	

Vona Box N9

N9 Drawer H182 Installation Information



Internal Drawer Panel	
	Product Code RB01 (1) (2)
Nominal Length	Notes(1): 600/1200
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black
Cutting Selections	Cutting Size= Cabinet Width/LW-48

Heightened Rod	
	Product Code RLG000 (1) (2)
Nominal Length	Notes(1): 600/1200
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black
Cutting Selections	Cutting Size= Cabinet Width/LW-48

Internal Drawer Front Connector L/R	
	Product Code R9Q1481 (1)
Color Options	Notes (1) : L/Gravel White S/Gravel Grey Y/Gravel Black

N9 Drawer H182 Installation Information



Internal Drawer Panel	
	Product Code RB02(1)(2)
Nominal Length	Notes(1): 600/1200
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black
Cutting Selections	Cutting Size= Cabinet Width/LW-48

Heightened Rod	
	Product Code RLG000 (1) (2)
Nominal Length	Notes(1): 600/1200
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black
Cutting Selections	Cutting Size= Cabinet Width/LW-48

Heightened Glass Panel			
Product Code	16mm Plate thickness	18mm Plate thickness	19mm Plate thickness
RBL0128(1)(2)	RBL1128(1)(2)	RBL2128(1)(2)	
Nominal Length	Notes(1): 300/350/400/450/500/550/600/800/900/1000/1200		
Color Selection	Notes (2) : B/White Glass	H/Grey Glass	
Cutting Selections	Cutting Size= Cabinet Width/LW-43		

Internal Drawer Front Connector L/R	
	Product Code R9Q1482(1)
Color Selection	Notes (1) : L/Gravel White S/Gravel Grey Y/Gravel Black

N9 Drawer H217 Installation Information



Internal Drawer Panel	
	Product Code RB01 (1) (2)
Nominal Length	Notes(1): 600/1200
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black
Cutting Selections	Cutting Size= Cabinet Width/LW-48

Heightened Rod	
	Product Code RLG000 (1) (2)
Nominal Length	Notes(1): 600/1200
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black
Cutting Selections	Cutting Size= Cabinet Width/LW-48

Internal Drawer Front Connector L/R	
	Product Code R9Q1831 (1)
Color Options	Notes (1) : L/Gravel White S/Gravel Grey Y/Gravel Black

N9 Drawer H217 Installation Information



Internal Drawer Panel	
	Product Code RB02(1)(2)
Nominal Length	Notes(1): 600/1200
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black
Cutting Selections	Cutting Size= Cabinet Width/LW-48

Heightened Rod	
	Product Code RLG000 (1) (2)
Nominal Length	Notes(1): 600/1200
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black
Cutting Selections	Cutting Size= Cabinet Width/LW-48

Heightened Glass Panel			
Product Code	16mm Plate thickness	18mm Plate thickness	19mm Plate thickness
RBL0162(1)(2)	RBL1162(1)(2)	RBL2162(1)(2)	
Nominal Length	Notes(1): 300/350/400/450/500/550/600/800/900/1000/1200		
Color Selection	Notes (2) : B/White Glass	H/Grey Glass	
Cutting Selections	Cutting Size= Cabinet Width/LW-43		

Internal Drawer Front Connector L/R	
	Product Code R9Q1832(1)
Color Selection	Notes (1) : L/Gravel White S/Gravel Grey Y/Gravel Black

Vona Box N9⁺

N9+ Glass Drawer H217 Installation Information



Internal Drawer Panel	
	Product Code RB01 (1) (2)
Nominal Length	Notes(1): 600/1200
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black
Cutting Selections	Cutting Size= Cabinet Width/LW-48

Heightened Rod	
	Product Code RLG000 (1) (2)
Nominal Length	Notes(1): 600/1200
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black
Cutting Selections	Cutting Size= Cabinet Width/LW-48

Internal Drawer Front Connector L/R	
	Product Code R9Q1833 (1)
Color Options	Notes (1) : L/Gravel White S/Gravel Grey Y/Gravel Black

N9+ Glass Drawer H217 Installation Information



Internal Drawer Panel	
	Product Code RB02(1)(2)
Nominal Length	Notes(1): 600/1200
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black
Cutting Selections	Cutting Size= Cabinet Width/LW-48

Heightened Rod	
	Product Code RLG000 (1) (2)
Nominal Length	Notes(1): 600/1200
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black
Cutting Selections	Cutting Size= Cabinet Width/LW-48

Heightened Glass Panel		
16mm Plate thickness	18mm Plate thickness	19mm Plate thickness
Product Code RBL01621(2)	RBL1162(1)(2)	RBL2162(1)(2)
Nominal Length	Notes(1): 300/350/400/450/500/550/600/800/900/1000/1200	
Color Selection	Notes (2) : B/White Glass	H/Grey Glass
Cutting Selections	Cutting Size= Cabinet Width/LW-43	

Internal Drawer Front Connector L/R	
	Product Code R9Q1834(1)
Color Selection	Notes (1) : L/Gravel White S/Gravel Grey Y/Gravel Black

N901 Drawer H76 Installation Information			
Cabinet Inner Space Requirement	Front Connector Panel Install Dimension	Front Panel Drilling Dimension	Back panel Install Dimension
min94	min26.5 min38.5	min59 23	7.5










N902 Drawer H94 Installation Information			
Cabinet Inner Space Requirement	Front Connector Panel Install Dimension	Front Panel Drilling Dimension	Back panel Install Dimension
min112	15 min26.5 min38.5	min58.5 32	7.5

N903 Drawer H135 Installation Information			
Cabinet Inner Space Requirement	Front Connector Panel Install Dimension	Front Panel Drilling Dimension	Back panel Install Dimension
min153	15 min26.5 min38.5	min90.5 32	7.5

N904 Drawer H182 Installation Information			
Cabinet Inner Space Requirement	Front Connector Panel Install Dimension	Front Panel Drilling Dimension	Back panel Install Dimension
min200	15 min26.5 min38.5	min58.5 32 64 32 32 32 32	7.5








Vona Box N9

Installation information



Vona Box N9

Installation information



N13 Vona Box





Kitchen



Living Room



N13+ embodies a minimalist design aesthetic,
exclusively tailor-made for those who pursue a high-end custom-crafted fashion
home lifestyle,
showcasing a distinctive taste and refined attitude toward life.





N13⁺

Here, there are no rigid rules for combinations—only boundless creativity and imagination. That's why we not only offer a diverse selection of standard textures, but also provide personalized one-on-one texture customization services. Whether you seek materials that harmonize with your interior design style or wish to incorporate unique textures reflecting your personal design philosophy, we bring your vision to life. Where imagination begins, our craftsmanship delivers.



Vona Box N13

H72 Low Drawer




[View product details](#)

Set Packaging

Metal Drawer Note (1) : L/Gravel White S/Gravel Grey Y/Gravel Black

Nominal Length	Soft-closing Drawer	Push to Open Drawer	Push to Open Soft-closing Drawer
270	N1300270 (1)	\	\
300	N1300300 (1)	N1310300 (1)	\
350	N1300350 (1)	N1310350 (1)	N1320350 (1)
400	N1300400 (1)	N1310400 (1)	N1320400 (1)
450	N1300450 (1)	N1310450 (1)	N1320450 (1)
500	N1300500 (1)	N1310500 (1)	N1320500 (1)
550	N1300550 (1)	N1310550 (1)	N1320550 (1)



① Concealed Full Extension sync Slide L/R



Soft-closing Slide	NH01 (1)
Push to Open	NH11 (1)
Push to Open Soft-closing	NH21 (1)
Nominal Length	Notes (1) : 270/300/350/400/450/500/550

③ Front Connector	Wood Screws UsingΦ3*20mm 4PCS
	Product Code RQ0421
	Product Code RQ0422

② Side Panel L/R




Product Code	N13A0 (1) (2)
Nominal Length	Notes (1) : 270/300/350/400/450/500/550
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black

④ Synchronized Rod	RAL1000
	Cutting Dimension for Push to Open Sync Rod = Cabinet Net Width LW - 218
	Cutting Dimension for Soft-Closing Push to Open Sync Rod= Cabinet Net Width LW - 281


Cabinet Slide Mounting Size

Nominal Length(mm)




Space Requirements

Nominal Length



16mm(thickness)MDF Cutting Size


Wooden back panel



Back panel



KB Cabinet Width LW Cabinet Net Width
NL Nominal Length





Vona Box N13

H90 Low Drawer




[View product details](#)

Set Packaging

Metal Drawer Note (1) : L/Gravel White S/Gravel Grey Y/Gravel Black

Nominal Length	Soft-closing Drawer	Push to Open Drawer	Push to Open Soft-closing Drawer
270	N1301270 (1)	\	\
300	N1301300 (1)	N1311300 (1)	\
350	N1301350 (1)	N1311350 (1)	N1321350 (1)
400	N1301400 (1)	N1311400 (1)	N1321400 (1)
450	N1301450 (1)	N1311450 (1)	N1321450 (1)
500	N1301500 (1)	N1311500 (1)	N1321500 (1)
550	N1301550 (1)	N1311550 (1)	N1321550 (1)



① Concealed Full Extension sync Slide L/R



Soft-closing Slide	NH01 (1)
Push to Open	NH11 (1)
Push to Open Soft-dosing	NH21 (1)
Nominal Length	Notes (1) : 270/300/350/400/450/500/550

③ Front Connector



Product Code	G13501
Product Code	G13502

② Side Panel L/R



Product Code	N13A1 (1) (2)
Nominal Length	Notes (1) : 270/300/350/400/450/500/550
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black


④ Synchronized Rod



Product Code	RAL1000
Cutting Dimension for Push to Open Sync Rod = Cabinet Net Width LW - 218	
Cutting Dimension for Soft-Closing Push to Open Sync Rod= Cabinet Net Width LW - 281	


Cabinet Slide Mounting Size

Nominal Length(mm)




Space Requirements

Nominal Length




16mm(thickness)MDF Cutting Size


Wooden back panel



Back panel



KB Cabinet Width LW Cabinet Net Width
NL Nominal Length





Vona Box N13 唯薄抽

H131 Low Drawer


[View product details](#)


View Product Details

Set Packaging

Metal Drawer Note (1) : L/Gravel White S/Gravel Grey Y/Gravel Black

Nominal Length	Soft-closing Drawer	Push to Open Drawer	Push to Open Soft-closing Drawer
270	N1302270 (1)	\	\
300	N1302300 (1)	N1312300 (1)	\
350	N1302350 (1)	N1312350 (1)	N1322350 (1)
400	N1302400 (1)	N1312400 (1)	N1322400 (1)
450	N1302450 (1)	N1312450 (1)	N1322450 (1)
500	N1302500 (1)	N1312500 (1)	N1322500 (1)
550	N1302550 (1)	N1312550 (1)	N1322550 (1)


① Concealed Full Extension sync Slide L/R


Soft-closing Slide	NH01 (1)
Push to Open	NH11 (1)
Push to Open Soft-closing	NH21 (1)
Nominal Length	Notes (1) : 270/300/350/400/450/500/550

③ Front Connector


Product Code	G13501
Product Code	G13502

② Side Panel L/R


Product Code	N13A2 (1) (2)
Nominal Length	Notes (1) : 270/300/350/400/450/500/550
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black

④ Synchronized Rod



Product Code	RAL1000
Cutting Dimension for Push to Open Sync Rod = Cabinet Net Width LW - 218	
Cutting Dimension for Soft-Closing Push to Open Sync Rod= Cabinet Net Width LW - 281	

Cabinet Slide Mounting Size


Nominal Length(mm)

270-350


400-550


Space Requirements



Nominal Length


16mm(thickness)MDF Cutting Size

Wooden back panel



Back panel

KB Cabinet Width LW Cabinet Net Width
NL Nominal Length



Vona Box N13

H178 High Drawe


[View product details](#)



Set Packaging

Metal Drawer Note (1) : L/Gravel White S/Gravel Grey Y/Gravel Black

Nominal Length	Soft-closing Drawer	Push to Open Drawer	Push to Open Soft-closing Drawer
270	N1303270 (1)	\	\
300	N1303300 (1)	N1313300 (1)	\
350	N1303350 (1)	N1313350 (1)	N1323350 (1)
400	N1303400 (1)	N1313400 (1)	N1323400 (1)
450	N1303450 (1)	N1313450 (1)	N1323450 (1)
500	N1303500 (1)	N1313500 (1)	N1323500 (1)
550	N1303550 (1)	N1313550 (1)	N1323550 (1)



① Concealed Full Extension sync Slide L/R



Soft-closing Slide	NH01 (1)
Push to Open	NH11 (1)
Push to Open Soft-dosing	NH21 (1)
Nominal Length	Notes (1) : 270/300/350/400/450/500/550

③ Front Connector



Product Code	G13701
Product Code	G13702

② Side Panel L/R



Product Code	N13A3 (1) (2)
Nominal Length	Notes (1) : 270/300/350/400/450/500/550
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black


④ Synchronized Rod



Product Code	RAL1000
Cutting Dimension for Push to Open Sync Rod = Cabinet Net Width LW - 218	
Cutting Dimension for Soft-Closing Push to Open Sync Rod= Cabinet Net Width LW - 281	


Cabinet Slide Mounting Size

Nominal Length(mm)




Space Requirements

Nominal Length



16mm(thickness)MDF Cutting Size


Wooden back panel



Back panel



KB Cabinet Width LW Cabinet Net Width
NL Nominal Length





Vona Box N13

H213 High Drawe


[View product details](#)



Set Packaging

Metal Drawer Note (1) : L/Gravel White S/Gravel Grey Y/Gravel Black

Nominal Length	Soft-closing Drawer	Push to Open Drawer	Push to Open Soft-closing Drawer
270	N1304270 (1)	\	\
300	N1304300 (1)	N1314300 (1)	\
350	N1304350 (1)	N1314350 (1)	N1324350 (1)
400	N1304400 (1)	N1314400 (1)	N1324400 (1)
450	N1304450 (1)	N1314450 (1)	N1324450 (1)
500	N1304500 (1)	N1314500 (1)	N1324500 (1)
550	N1304550 (1)	N1314550 (1)	N1324550 (1)



① Concealed Full Extension sync Slide L/R



Soft-closing Slide	NH01 (1)
Push to Open	NH11 (1)
Push to Open Soft-closing	NH21 (1)
Nominal Length	Notes (1) : 270/300/350/400/450/500/550

③ Front Connector

	Product Code	G13701
	Product Code	G13702

② Side Panel L/R




Product Code	N13A4 (1) (2)
Nominal Length	Notes (1) : 270/300/350/400/450/500/550
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black

④ Synchronized Rod

	Product Code	RAL1000
Cutting Dimension for Push to Open Sync Rod = Cabinet Net Width LW - 218		
Cutting Dimension for Soft-Closing Push to Open Sync Rod= Cabinet Net Width LW - 281		


Cabinet Slide Mounting Size

Nominal Length(mm)




Space Requirements

Nominal Length




16mm(thickness)MDF Cutting Size


Wooden back panel



Back panel



KB Cabinet Width LW Cabinet Net Width
NL Nominal Length





Vona Box N13


LED System




View Product Details

Product Information

	LED Strip Thickness Color Note (1) : L/Gravel White S/Gravel Grey Y/Gravel Black
Nominal Length	Product Information
350	RLDE10350 (1)
400	RLDE10400 (1)
450	RLDE10450 (1)
500	RLDE10500 (1)
550	RLDE10550 (1)



LED Lighting Installation



In order to give the cabinet opening experience a richer level and unique charm, we not only strengthened its functionality, but also greatly improved its aesthetics. The external lighting system can provide soft and uniform lighting, making the items in the cabinet clearly visible. This lighting effect not only makes it easier for users to find and take items, but also creates a warm and comfortable atmosphere.



Vona Box N13⁺ Glass Drawer


H90 Low Drawer

[View product details](#)

Set Packaging

Metal Drawer Note (1) : L/Gravel White S/Gravel Grey Y/Gravel Black

Nominal Length	Soft-closing Drawer	Push to Open Drawer	Push to Open Soft-closing Drawer
350	R1331350 (1)	R1341350 (1)	R1351350 (1)
400	R1331400 (1)	R1341400 (1)	R1351400 (1)
450	R1331450 (1)	R1341450 (1)	R1351450 (1)
500	R1331500 (1)	R1341500 (1)	R1351500 (1)
550	R1331550 (1)	R1341550 (1)	R1351550 (1)



① Concealed Full Extension sync Slide L/R



Soft-closing Slide	NH01 (1)
Push to Open	NH11 (1)
Push to Open Soft-closing	NH21 (1)
Nominal Length	Notes (1) : 350/400/450/500/550

③ Front Connector



Product Code	G13501
Product Code	G13502

④ Synchronized Rod



Product Code	RAL1000
Cutting Dimension for Push to Open Sync Rod = Cabinet Net Width LW - 218	
Cutting Dimension for Soft-Closing Push to Open Sync Rod= Cabinet Net Width LW - 281	


④ LED system



Product Code	RLDE00(1)
Nominal Length	Notes (1) : 350/400/450/500/550


Cabinet Slide Mounting Size

Nominal Length(mm)




Space Requirements

Nominal Length



16mm(thickness)MDF Cutting Size


Wooden back panel



Back panel



KB Cabinet Width LW Cabinet Net Width
NL Nominal Length





Vona Box N13⁺ Glass Drawer


H131 Low Drawer

[View product details](#)


Set Packaging

Metal Drawer Note (1) : L/Gravel White S/Gravel Grey Y/Gravel Black

Nominal Length	Soft-closing Drawer	Push to Open Drawer	Push to Open Soft-closing Drawer
350	N1332350 (1)	N1342350 (1)	N1352350 (1)
400	N1332400 (1)	N1342400 (1)	N1352400 (1)
450	N1332450 (1)	N1342450 (1)	N1352450 (1)
500	N1332500 (1)	N1342500 (1)	N1352500 (1)
550	N1332550 (1)	N1342550 (1)	N1352550 (1)



① Concealed Full Extension sync Slide L/R

	Soft-closing Slide	NH01 (1)
	Push to Open	NH11 (1)
	Push to Open Soft-closing	NH21 (1)
	Nominal Length	Notes (1) : 350/400/450/500/550

③ Front Connector

	Product Code	G13501
	Product Code	G13502

④ Synchronized Rod


	Product Code	RAL1000
	Cutting Dimension for Push to Open Sync Rod = Cabinet Net Width LW - 218	
	Cutting Dimension for Soft-Closing Push to Open Sync Rod= Cabinet Net Width LW - 281	

④ LED system

	Product Code	RLDE00(1)
	Nominal Length	Notes (1) : 350/400/450/500/550


Cabinet Slide Mounting Size

Nominal Length(mm)




Space Requirements

Nominal Length




16mm(thickness)MDF Cutting Size


Wooden back panel



Back panel



KB Cabinet Width LW Cabinet Net Width
NL Nominal Length





Vona Box N13⁺ Glass Drawer

H178 High Drawe

[View product details](#)




View Product Details

Set Packaging

Metal Drawer Note (1) : L/Gravel White S/Gravel Grey Y/Gravel Black

Nominal Length	Soft-closing Drawer	Push to Open Drawer	Push to Open Soft-closing Drawer
350	N1333350 (1)	N1343350 (1)	N1353350 (1)
400	N1333400 (1)	N1343400 (1)	N1353400 (1)
450	N1333450 (1)	N1343450 (1)	N1353450 (1)
500	N1333500 (1)	N1343500 (1)	N1353500 (1)
550	N1333550 (1)	N1343550 (1)	N1353550 (1)



① Concealed Full Extension sync Slide L/R

	Soft-closing Slide	NH01 (1)
	Push to Open	NH11 (1)
	Push to Open Soft-closing	NH21 (1)
	Nominal Length	Notes (1) : 350/400/450/500/550

③ Front Connector

	Product Code	G13701
	Product Code	G13702

④ Synchronized Rod


	Product Code	RAL1000
	Cutting Dimension for Push to Open Sync Rod = Cabinet Net Width LW - 218	
	Cutting Dimension for Soft-Closing Push to Open Sync Rod= Cabinet Net Width LW - 281	

④ LED system

	Product Code	RLDE00(1)
	Nominal Length	Notes (1) : 350/400/450/500/550


Cabinet Slide Mounting Size

Nominal Length(mm)




Space Requirements

Nominal Length




16mm(thickness)MDF Cutting Size


Wooden back panel



Back panel



KB Cabinet Width LW Cabinet Net Width
NL Nominal Length





Vona Box N13⁺ Glass Drawer

H213 High Drawe


[View product details](#)



Set Packaging

Metal Drawer Note (1) : L/Gravel White S/Gravel Grey Y/Gravel Black

Nominal Length	Soft-closing Drawer	Push to Open Drawer	Push to Open Soft-closing Drawer
350	N1334350 (1)	N1344350 (1)	N1354350 (1)
400	N1334400 (1)	N1344400 (1)	N1354400 (1)
450	N1334450 (1)	N1344450 (1)	N1354450 (1)
500	N1334500 (1)	N1344500 (1)	N1354500 (1)
550	N1334550 (1)	N1344550 (1)	N1354550 (1)



① Concealed Full Extension sync Slide L/R

	Soft-closing Slide	NH01 (1)
	Push to Open	NH11 (1)
	Push to Open Soft-closing	NH21 (1)
Nominal Length		Notes (1) : 350/400/450/500/550

③ Front Connector

	Product Code	G13701
	Product Code	G13702

④ Synchronized Rod


	Product Code	RAL1000
Cutting Dimension for Push to Open Sync Rod = Cabinet Net Width LW - 218		
Cutting Dimension for Soft-Closing Push to Open Sync Rod= Cabinet Net Width LW - 281		

④ LED system

	Product Code	RLDE00(1)
Nominal Length		Notes (1) : 350/400/450/500/550


Cabinet Slide Mounting Size

Nominal Length(mm)




Space Requirements

Nominal Length




165MM厚的密度板裁切尺寸 Cutting Size


密度板 back panel




密度板 panel



KB柜体宽度 Width of cabinet body NL Nominal Length





Vona Box N13⁺ Glass Drawer

LED System




View Product
Details




订购信息



Nominal Length	Product Information
550	RLDE10550
500	RLDE10500
450	RLDE10450
400	RLDE10400
350	RLDE10350



LED Lighting Installation



The innovative built-in lighting device, with its delicate and balanced light and shadow, covers the items in the cabinet with a clear and charming brilliance. This lighting idea not only greatly optimizes the efficiency of users' search and extraction of items, but also cleverly weaves a warm and elegant spatial atmosphere, making every light opening of the cabinet door a double feast for the eyes and the soul.

Vona Box N13

N13 Drawer H90 Installation Information



Internal Drawer Panel		
	Product Code	RB01 (1) (2)
	Nominal Length	Notes(1): 600/1200
	Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black
	Cutting Selections	Cutting Size= Cabinet Width/LW-48

Internal Drawer Front Connector L/R		
	Product Code	R13Q0601 (1)
	Color Options	Notes (1) : L/Gravel White S/Gravel Grey Y/Gravel Black

N13 Drawer H131 Installation Information



Internal Drawer Panel		
	Product Code	RB01 (1) (2)
	Nominal Length	Notes(1): 600/1200
	Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black
	Cutting Selections	Cutting Size= Cabinet Width/LW-48

Internal Drawer Front Connector L/R		
	Product Code	R13Q1011 (1)
	Color Options	Notes (1) : L/Gravel White S/Gravel Grey Y/Gravel Black

N13 Drawer H90 Installation Information



Internal Drawer Panel		
	Product Code	RB02(1)(2)
	Nominal Length	Notes(1): 600/1200
	Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black
	Cutting	Cutting Size= Cabinet Width/LW-48

Heightened Glass Panel			
	16mm Plate thickness	18mm Plate thickness	19mm Plate thickness
Product Code	RBL0057(1)(2)	RBL1057(1)(2)	RBL2057(1)(2)
Nominal Length	Notes(1): 300/350/400/450/500/550/600/800/900/1000/1200		
Color Selection	Notes (2) : B/White Glass	H/Grey Glass	
Cutting	Cutting Size= Cabinet Width/LW-43		

Internal Drawer Front Connector L/R		
	Product Code	R13Q0602(1)
	Color Selection	Notes (1) : L/Gravel White S/Gravel Grey Y/Gravel Black

N13 Drawer H131 Installation Information



Internal Drawer Panel		
	Product Code	RB02(1)(2)
	Nominal Length	Notes(1): 600/1200
	Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black
	Cutting Selections	Cutting Size= Cabinet Width/LW-48

Heightened Glass Panel			
	16mm Plate thickness	18mm Plate thickness	19mm Plate thickness
Product Code	RBL0098(1)(2)	RBL1098(1)(2)	RBL2098(1)(2)
Nominal Length	Notes(1): 300/350/400/450/500/550/600/800/900/1000/1200		
Color Selection	Notes (2) : B/White Glass	H/Grey Glass	
Cutting Selections	Cutting Size= Cabinet Width/LW-43		

Internal Drawer Front Connector L/R		
	Product Code	R13Q1012(1)
	Color Selection	Notes (1) : L/Gravel White S/Gravel Grey Y/Gravel Black

Vona Box N13

N13 Drawer H178 Installation Information



Internal Drawer Panel	
	Product Code RB01 (1) (2)
Nominal Length	Notes(1): 600/1200
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black
Cutting Selections	Cutting Size= Cabinet Width/LW-48

Heightened Rod	
	Product Code RLG000 (1) (2)
Nominal Length	Notes(1): 600/1200
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black
Cutting Selections	Cutting Size= Cabinet Width/LW-48

Internal Drawer Front Connector L/R	
	Product Code R13Q1481 (1)
Color Options	Notes (1) : L/Gravel White S/Gravel Grey Y/Gravel Black

N13 Drawer H213 Installation Information



Internal Drawer Panel	
	Product Code RB01 (1) (2)
Nominal Length	Notes(1): 600/1200
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black
Cutting Selections	Cutting Size= Cabinet Width/LW-48

Heightened Rod	
	Product Code RLG000 (1) (2)
Nominal Length	Notes(1): 600/1200
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black
Cutting Selections	Cutting Size= Cabinet Width/LW-48

Internal Drawer Front Connector L/R	
	Product Code R13Q1831 (1)
Color Options	Notes (1) : L/Gravel White S/Gravel Grey Y/Gravel Black

N13 Drawer H178 Installation Information



Internal Drawer Panel	
	Product Code RB02(1)(2)
Nominal Length	Notes(1): 600/1200
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black
Cutting Selections	Cutting Size= Cabinet Width/LW-48

Heightened Rod	
	Product Code RLG000 (1) (2)
Nominal Length	Notes(1): 600/1200
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black
Cutting Selections	Cutting Size= Cabinet Width/LW-48

Heightened Glass Panel	
16mm Plate thickness	18mm Plate thickness
Product Code RBL0128(1)(2)	RBL1128(1)(2)
Nominal Length	Notes(1): 300/350/400/450/500/550/600/800/900/1000/1200
Color Selection	Notes (2) : B/White Glass H/Grey Glass
Cutting Selections	Cutting Size= Cabinet Width/LW-43

Internal Drawer Front Connector L/R	
	Product Code R13Q1482(1)
Color Selection	Notes (1) : L/Gravel White S/Gravel Grey Y/Gravel Black

N13 Drawer H213 Installation Information



Internal Drawer Panel	
	Product Code RB02(1)(2)
Nominal Length	Notes(1): 600/1200
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black
Cutting Selections	Cutting Size= Cabinet Width/LW-48

Heightened Rod	
	Product Code RLG000 (1) (2)
Nominal Length	Notes(1): 600/1200
Color Options	Notes (2) : L/Gravel White S/Gravel Grey Y/Gravel Black
Cutting Selections	Cutting Size= Cabinet Width/LW-48









Heightened Glass Panel	
16mm Plate thickness	18mm Plate thickness
Product Code RBL0162(1)(2)	RBL1162(1)(2)
Nominal Length	Notes(1): 300/350/400/450/500/550/600/800/900/1000/1200
Color Selection	Notes (2) : B/White Glass H/Grey Glass
Cutting Selections	Cutting Size= Cabinet Width/LW-43

Internal Drawer Front Connector L/R	
	Product Code R13Q1832(1)
Color Selection	Notes (1) : L/Gravel White S/Gravel Grey Y/Gravel Black

Internal Drawer Series











Vona Box N13

Installation information



Vona Box N13

Installation information



N-Vona

Series Concealed undermount Slide



Handle self-locking device Automatically stops the drawer after closing to prevent it from sliding out One-touch loading and unloading, quick installation and disassembly, easy separation



Maximum dynamic load capacity: 40kg


Long-lasting durability with no sagging or wobbling




Tool-Free Three-Dimensional Adjustment

Millimeter-level precision adjustment ensures cabinet panels remain perfectly aligned

Quick drawer installation/removal without tools







The user only needs to press lightly anywhere on the panel to trigger the rebound device. The synchronization rod will respond quickly and drive the cabinet to pop out smoothly and harmoniously.


Synchronous rebound lever device
Touch any part of the cabinet door
The drawer will slide out synchronously and smoothly




Minimum 2.8mm gap enhances dust/insect protection
Optimized cabinet appearance through precision gap control

N-Vona

Series Full-Extension Concealed Soft-Closing Slide - 16mm Handle Type



[View product details](#)


- Full-Extension Silent Wooden Drawer Slide
- The drawer closes smoothly without any lag
- Built-In Height Adjustment $\pm 3\text{mm}$
- Built-In Left-Right Adjustment $\pm 1.5\text{mm}$
- Built-In Front-Back Adjustment $\pm 3\text{mm}$




N-Vona Series Full-Extension Concealed Slide - 16mm Handle Type


Nominal Length	Soft-Closing Slide
250	\
300	\
350	N5001-350
400	N5001-400
450	N5001-450
500	N5001-500
550	N5001-550



Cabinet slide Installation Dimensions







Required Space




Installation information

Cabinet Internal Space Requirement(16mm Handle Type)

SKL Drawer Length SKW Drawer Base Net Width LW Cabinet Net Width NL Slide Net Width LT Cabinet Net Depth




Drawer Installation Dimensions(16mm Handle Type)




Front

Adjustment Information(16mm Handle Type)




N-Vona

Series Full-Extension Concealed Soft-Closing Slide - 19mm Handle Type



[View product details](#)


- Full-Extension Silent Wooden Drawer Slide
- The drawer closes smoothly without any lag
- Built-In Height Adjustment $\pm 3\text{mm}$
- Built-In Left-Right Adjustment $\pm 1.5\text{mm}$
- Built-In Front-Back Adjustment $\pm 3\text{mm}$




N-Vona Series Full-Extension Concealed Slide - 19mm Handle Type


Nominal Length	Soft-Closing Slide
250	\
300	\
350	N5002-350
400	N5002-400
450	N5002-450
500	N5002-500
550	N5002-550



Cabinet slide Installation Dimensions







Required Space




Installation information

Cabinet Internal Space Requirement(19mm Handle Type)


SKL Drawer Length SKW Drawer Base Net Width LW Cabinet Net Width NL Slide Net Width LT Cabinet Net Depth



Drawer Installation Dimensions(19mm Handle Type)




Adjustment Information(19mm Handle Type)



N-Vona


Series Full-Extension Concealed Soft-Closing Push to Open slide - 16mm Handle Type



[View product details](#)




- Full-Extension Silent Wooden Drawer Slide
- CVT Assist System
- Drawers open and close smoothly without any lag
- Adjustable rebound strength
- Vertical Adjustment \pm 3mm
- Horizontal Adjustment \pm 1.5mm
- Front-Back Adjustment \pm 3mm




N-Vona Series Full-Extension Concealed Slide - 16mm Handle Type


Nominal Length	Soft-Closing Push to Open slide
250	\
300	\
350	N5021-350
400	N5021-400
450	N5021-450
500	N5021-500
550	N5021-550



Cabinet slide Installation Dimensions







Required Space




Installation information

Cabinet Internal Space Requirement(16mm Handle Type)


SKL Drawer Length SKW Drawer Base Net Width LW Cabinet Net Width NL Slide Net Width LT Cabinet Net Depth





Drawer Installation Dimensions(16mm Handle Type)



Adjustment Information(16mm Handle Type)



Installation information




N-Vona

Series Full-Extension Concealed Soft-Closing Push to Open slide - 19mm Handle Type

[View product details](#)


N-Vona Series Full-Extension Concealed Slide - 19mm Handle Type

Nominal Length	Soft-Closing Push to Open slide
250	\
300	\
350	N5022-350
400	N5022-400
450	N5022-450
500	N5022-500
550	N5022-550




Cabinet slide Installation Dimensions

NL Nominal Length (mm)




Required Space





NL Nominal Length



Installation information




Installation information




N-Vona

Series Full-Extension Concealed Push to Open slide - 16mm Handle Type




- Full-Extension Silent Wooden Drawer Slide
- Light touch and smooth rebound without lag
- Built-In Height Adjustment ±3mm
- Built-In Left-Right Adjustment ±1.5mm
- Built-In Front-Back Adjustment ±3mm




N-Vona Series Full-Extension Concealed Slide - 16mm Handle Type

Nominal Length	Push to Open slide
250	\
300	N5011-300
350	N5011-350
400	N5011-400
450	N5011-450
500	N5011-500
550	N5011-550




Cabinet slide Installation Dimensions

NL Nominal Length (mm)



Required Space


NL Nominal Length




Installation information

Cabinet Internal Space Requirement(16mm Handle Type)


SKL Drawer Length SKW Drawer Base Net Width LW Cabinet Net Width NL Slide Net Width LT Cabinet Net Depth




Drawer Installation Dimensions(16mm Handle Type)



Adjustment Information(16mm Handle Type)




Rebound damping synchronizing rod installation(16mm Handle Type)




N-Vona

Series Full-Extension Concealed Push to Open slide - 19mm Handle Type




- Full-Extension Silent Wooden Drawer Slide
- Light touch and smooth rebound without lag
- Built-In Height Adjustment $\pm 3\text{mm}$
- Built-In Left-Right Adjustment $\pm 1.5\text{mm}$
- Built-In Front-Back Adjustment $\pm 3\text{mm}$




N-Vona Series Full-Extension Concealed Slide - 19mm Handle Type

Nominal Length	Push to Open slide
250	\
300	N5012-300
350	N5012-350
400	N5012-400
450	N5012-450
500	N5012-500
550	N5012-550




Cabinet slide Installation Dimensions

NL Nominal Length (mm)



Required Space


NL Nominal Length




Installation information

Cabinet Internal Space Requirement(19mm Handle Type)


SKL Drawer Length SKW Drawer Base Net Width LW Cabinet Net Width NL Slide Net Width LT Cabinet Net Depth




Drawer Installation Dimensions(19mm Handle Type)



Adjustment Information(19mm Handle Type)



Rebound damping synchronizing rod installation(19mm Handle Type)





A Timeless Elm



B Mayan Oak



C Slate Silver Oak



D Mountain Mist Oak



E Moonfall Onyx



F Castle Noir