

UNI BOX

Luxury metal drawer series

New sidewall design for bold innovation

GARIS®



E-catalog

NEW SIDE PANEL PRACTICAL AND AESTHETIC

Segmented Side Design, Excellent Glide Performance, Glide Movement Lightly and Easily, Make Life Easy and Leisurely



EASY INSTALLATION EASY DISASSEMBLY

Tool-free, quick disassembly design, one clip, easy disassembly, labor-saving and no worries.




LOADING CAPACITY 30KG SOLID AND STABLE

Precise Locking Clip Design, One-click Disassembly, One-click Instant,
Disassembly, Effortless Disassembly, Beautiful Mood.



GLIDE SMOOTHLY ENJOY QUIET MOVEMENT

Equipped with Advanced Configurations, Create Comfortable User Experience,
Glide Smoothly, Quiet and Noiseless.





INTEGRATED DAMPING SYSTEM DAMPING AND SILENT EFFECT



Innovated Damping Technology, Bring Excellent Damping Effect, Soft Closing
Drawer Slides, Quiet Home Starts Here.






VARIOUS EXPANSION WAYS EXPAND STORAGE SPACE


Excellent Loading Capacity and Innovative Damping System, Make It Possible to Expand Space Variously, Expand Storage Space ,Collect Every Fine Piece of Beauty

Uni box drawer series





	Nominal Length	Soft Closing Drawer		Push to Open Drawer		Quantity
		Silk white	Iron gray	Silk white	Iron gray	
	270	T3001-270W	T3001-270G	T3051-270W	T3051-270G	6SET
	300	T3001-300W	T3001-300G	T3051-300W	T3051-300G	6SET
	350	T3001-350W	T3001-350G	T3051-350W	T3051-350G	6SET
	400	T3001-400W	T3001-400G	T3051-400W	T3051-400G	6SET
	450	T3001-450W	T3001-450G	T3051-450W	T3051-450G	6SET
	500	T3001-500W	T3001-500G	T3051-500W	T3051-500G	6SET
	550	T3001-550W	T3001-550G	T3051-550W	T3051-550G	6SET





	Nominal Length	Soft Closing Drawer		Push to Open Drawer		Quantity
		Silk white	Iron gray	Silk white	Iron gray	
	270	T3002-270W	T3002-270G	T3052-270W	T3052-270G	6SET
	300	T3002-300W	T3002-300G	T3052-300W	T3052-300G	6SET
	350	T3002-350W	T3002-350G	T3052-350W	T3052-350G	6SET
	400	T3002-400W	T3002-400G	T3052-400W	T3052-400G	6SET
	450	T3002-450W	T3002-450G	T3052-450W	T3052-450G	6SET
	500	T3002-500W	T3002-500G	T3052-500W	T3052-500G	6SET
	550	T3002-550W	T3002-550G	T3052-550W	T3052-550G	6SET

Uni box drawer series





	Nominal Length	Soft Closing Drawer		Push to Open Drawer		Quantity
		Silk white	Iron gray	Silk white	Iron gray	
	270	T3003-270W	T3003-270G	T3053-270W	T3053-270G	6SET
	300	T3003-300W	T3003-300G	T3053-300W	T3053-300G	6SET
	350	T3003-350W	T3003-350G	T3053-350W	T3053-350G	6SET
	400	T3003-400W	T3003-400G	T3053-400W	T3053-400G	6SET
	450	T3003-450W	T3003-450G	T3053-450W	T3053-450G	6SET
	500	T3003-500W	T3003-500G	T3053-500W	T3053-500G	6SET
	550	T3003-550W	T3003-550G	T3053-550W	T3053-550G	6SET





	Nominal Length	Soft Closing Drawer		Push to Open Drawer		Quantity
		Silk white	Iron gray	Silk white	Iron gray	
	270	T3004-270W	T3004-270G	T3054-270W	T3054-270G	6SET
	300	T3004-300W	T3004-300G	T3054-300W	T3054-300G	6SET
	350	T3004-350W	T3004-350G	T3054-350W	T3054-350G	6SET
	400	T3004-400W	T3004-400G	T3054-400W	T3054-400G	6SET
	450	T3004-450W	T3004-450G	T3054-450W	T3054-450G	6SET
	500	T3004-500W	T3004-500G	T3054-500W	T3054-500G	6SET
	550	T3004-550W	T3004-550G	T3054-550W	T3054-550G	6SET



Uni box drawer series



	Nominal Length	Soft Closing Drawer		Push to Open Drawer		Quantity
		Silk white	Iron gray	Silk white	Iron gray	
	270	T3014-270W	T3014-270G	T3064-270W	T3064-270G	6SET
	300	T3014-300W	T3014-300G	T3064-300W	T3064-300G	6SET
	350	T3014-350W	T3014-350G	T3064-350W	T3064-350G	6SET
	400	T3014-400W	T3014-400G	T3064-400W	T3064-400G	6SET
	450	T3014-450W	T3014-450G	T3064-450W	T3064-450G	6SET
	500	T3014-500W	T3014-500G	T3064-500W	T3064-500G	6SET
	550	T3014-550W	T3014-550G	T3064-550W	T3064-550G	6SET




	Nominal Length	Soft Closing Drawer		Push to Open Drawer		Quantity
		Silk white	Iron gray	Silk white	Iron gray	
	270	T3022-270W	T3022-270G	T3072-270W	T3072-270G	6SET
	300	T3022-300W	T3022-300G	T3072-300W	T3072-300G	6SET
	350	T3022-350W	T3022-350G	T3072-350W	T3072-350G	6SET
	400	T3022-400W	T3022-400G	T3072-400W	T3072-400G	6SET
	450	T3022-450W	T3022-450G	T3072-450W	T3072-450G	6SET
	500	T3022-500W	T3022-500G	T3072-500W	T3072-500G	6SET
	550	T3022-550W	T3022-550G	T3072-550W	T3072-550G	6SET





	Nominal Length	Soft Closing Drawer		Push to Open Drawer		Quantity
		Silk white	Iron gray	Silk white	Iron gray	
	270	T3023-270W	T3023-270G	T3073-270W	T3073-270G	6SET
	300	T3023-300W	T3023-300G	T3073-300W	T3073-300G	6SET
	350	T3023-350W	T3023-350G	T3073-350W	T3073-350G	6SET
	400	T3023-400W	T3023-400G	T3073-400W	T3073-400G	6SET
	450	T3023-450W	T3023-450G	T3073-450W	T3073-450G	6SET
	500	T3023-500W	T3023-500G	T3073-500W	T3073-500G	6SET
	550	T3023-550W	T3023-550G	T3073-550W	T3073-550G	6SET

Uni box drawer series

















E-catalog




	Nominal Length	Soft Closing Drawer		Push to Open Drawer		Quantity
		Silk white	Iron gray	Silk white	Iron gray	
	270	T3024-270W	T3024-270G	T3074-270W	T3074-270G	6SET
	300	T3024-300W	T3024-300G	T3074-300W	T3074-300G	6SET
	350	T3024-350W	T3024-350G	T3074-350W	T3074-350G	6SET
	400	T3024-400W	T3024-400G	T3074-400W	T3074-400G	6SET
	450	T3024-450W	T3024-450G	T3074-450W	T3074-450G	6SET
	500	T3024-500W	T3024-500G	T3074-500W	T3074-500G	6SET
	550	T3024-550W	T3024-550G	T3074-550W	T3074-550G	6SET















E-catalog



	Nominal Length	Soft Closing Drawer		Push to Open Drawer		Quantity
		Silk white	Iron gray	Silk white	Iron gray	
	270	T3034-270W	T3034-270G	T3084-270W	T3084-270G	6SET
	300	T3034-300W	T3034-300G	T3084-300W	T3084-300G	6SET
	350	T3034-350W	T3034-350G	T3084-350W	T3084-350G	6SET
	400	T3034-400W	T3034-400G	T3084-400W	T3084-400G	6SET
	450	T3034-450W	T3034-450G	T3084-450W	T3084-450G	6SET
	500	T3034-500W	T3034-500G	T3084-500W	T3084-500G	6SET
	550	T3034-550W	T3034-550G	T3084-550W	T3084-550G	6SET



GARIS®


H68-R

Uni box drawer series Industrial packaging ordering Information

068 REAR CONNECTOR INDUSTRIAL PACKAGE




Silk white L/R	Iron gray L/R	Quantity
320168W	320168G	100SET



100 REAR CONNECTOR INDUSTRIAL PACKAGE




Silk white L/R	Iron gray L/R	Quantity
3202119W	3202119G	50SET



151 REAR CONNECTOR INDUSTRIAL PACKAGE




Silk white L/R	Iron gray L/R	Quantity
3203151W	3203151G	50SET



183 REAR CONNECTOR INDUSTRIAL PACKAGE





Silk white L/R	Iron gray L/R	Quantity
3204183W	3204183G	50SET





Uni box drawer series Industrial packaging ordering Information



T301 SIDE PANEL INDUSTRIAL PACKAGE

	Nominal Length	Silk white L/R	Iron gray L/R	Quantity	
	270	321270W	321270G	10SET	
	300	321300W	321300G	10SET	
	350	321350W	321350G	10SET	
	400	321400W	321400G	10SET	
	450	321450W	321450G	10SET	
	500	321500W	321500G	10SET	
	550	321550W	321550G	10SET	



G30 SLIDE RAIL INDUSTRIAL PACKAGE

	Nominal Length	Soft closing slides	Push to open slides	Quantity	
	270	301270	302270	10SET	
	300	301300	302300	10SET	
	350	301350	302350	10SET	
	400	301400	302400	10SET	
	450	301450	302450	10SET	
	500	301500	302500	10SET	
	550	301550	302550	10SET	

GF320 SQUARE ROD INDUSTRIAL PACKAGE

	Nominal Length	Silk white L/R	Iron gray L/R	Quantity	
	270	GF320270W	GF320270G	50SET	
	300	GF320300W	GF320300G	50SET	
	350	GF320350W	GF320350G	50SET	
	400	GF320400W	GF320400G	50SET	
	450	GF320450W	GF320450G	50SET	
	500	GF320500W	GF320500G	50SET	
	550	GF320550W	GF320550G	50SET	

GY320 圓拉杆 INDUSTRIAL PACKAGE


	Nominal Length	Soft closing slides	Quantity	
	270	510270H	10SET	
	300	510300H	10SET	
	350	510350H	10SET	
	400	510400H	10SET	
	450	510450H	10SET	
	500	510500H	10SET	
	550	510550H	10SET	

Uni box drawer series Industrial packaging ordering Information

FRONT CONNECTORS INDUSTRIAL PACKAGE




Product name	Product No.	Quantity
Front connectors	201001	100SET



EASY FIX FRONT CONNECTORS INDUSTRIAL PACKAGE






Product name	Product No.	Quantity
Easy fix front connectors	201002	100SET







Application of tall cabinets

Cabinet installation dimension	Hole Dimensions - Front Panel	Hole Dimensions - Front Panel	Description
			<p>"Move" storage into kitchen,</p> <p>Upper and lower multi-layer zone,</p> <p>Each layer can be pulled out separately,</p> <p>Storage space is fully utilized,</p> <p>Full extension design,</p> <p>All items on display,</p> <p>Easy fetch from different direction,</p> <p>Flexible internal structure,</p> <p>Keep all food in order,</p> <p>The width, height and depth can be adjusted according to the storage space required,</p> <p>Make flexible personal adjustments,</p>


Product information

Recommended applications inner drawers

GH3201 Changeable Internal drawer H=84mm
GH3203 Square rod Changeable Internal drawer H=151mm



E-catalog




Internal drawer series


Internal drawer H=84mm



Internal drawer panel

 Internal cabinet width LW-90	Nominal Length	Silk white	Iron gray	Quantity
	600mm	GL320600W	GL320600G	20PCS
	800mm	GL320800W	GL320800G	20PCS
	900mm	GL320900W	GL320900G	20PCS
	1000mm	GL321000W	GL321000G	20PCS
	1200mm	GL321200W	GL321200G	20PCS


Internal drawer front connectors Left / right

	Silk white	Iron gray	Packing quantity
	GH320101W	GH320101G	20SET

Square rod Internal drawer H=151mm



Square rod

 Internal cabinet width LW-92	Nominal Length	Silk white	Iron gray	Packing Quantity
	600mm	GF320600W	GF320600G	20PCS
	1200mm	GF321200W	GF321200G	20PCS

Internal drawer panel

 Internal cabinet width LW-90	Nominal Length	Silk white	Iron gray	Packing Quantity
	600mm	GL320600W	GL320600G	20PCS
	1200mm	GL321200W	GL321200G	20PCS

Internal drawer front connectors Left / right

	Silk white	Iron gray	Packing Quantity
	GH320301W	GH320301G	20SET

Square rod Internal drawer H=183mm




Square rod

 Internal cabinet width LW-92	Nominal Length	Silk white	Iron gray	Packing Quantity
	600mm	GF320600W	GF320600G	20PCS
	1200mm	GF321200W	GF321200G	20PCS

Internal drawer panel


 Internal cabinet width LW-90	Nominal Length	Silk white	Iron gray	Packing Quantity
	600mm	GL320600W	GL320600G	20PCS
	1200mm	GL321200W	GL321200G	20PCS

Internal drawer front connectors Left / right






	Silk white	Iron gray	Packing Quantity
	GH320401W	GH320401G	20SET



Inner separator series



INNER SEPARATOR



Nominal Length	Silk white	Iron gray	Quantity
600	GH320600W	GH320600G	20SET
800	GH320800W	GH320800G	20SET
900	GH320900W	GH320900G	20SET
1000	GH321000W	GH321000G	20SET
1200	GH321200W	GH321200G	20SET

Diaphragm connection

Silk white	Iron gray	Quantity
GH32001W	GH32001G	100PCS


Vertical claspboard

Silk white	Iron gray	Quantity
GH32002W	GH32002G	100PCS




Uni box drawer series Installation diagram

Backplane Mounting Dimensions




Use 16mm thick wood board
Backboard width=LW-87mm
The corresponding height of the back panel is shown in the figure.

Installation dimension of inner drawing series guide rail




Cabinet space requirements




Uni box drawer series Installation diagram


Slide rail installation



Drawer removal




Panel Drill Size




- Front code mounting hole
 - Heightening rod mounting holes
 - Glass clip mounting holes
- Square tie rod panel cutout size
Panel size cut by yourself

Drawer panel installation




Uni box drawer series Installation diagram


Drawer composition




Adjust



Panel left and right adjustment $\pm 1.5\text{mm}$
When debugging, pay attention to select the corresponding adjustment screw




Panel left and right adjustment $\pm 2\text{mm}$
Before adjusting up and down, pay attention to loosen the locking screw




lock
After the panel is adjusted up and down, be careful to tighten the screws

Assembly of high-top inner drawer and support bar



X Inner drawing panel cutting size=LW-90
Y Square tie rod cutting size=LW-92
LW Cabinet net width


High-top inner drawing with heightened panel installation




Z Cutting size of inner drawing and heightening panel=LW-90
LW Cabinet net width

Uni box drawer series Installation diagram


Square heightened tie rod installation



Installation of glass side panels



Panel removal



Uni box drawer series Installation diagram

Square pole with glass side plate mount

